

Literature References to Specific Areas of Interest to Dunbar group

Coordination Polymers

- A.11.(a) "One-dimensional Coordination Polymers: Applications to Material Science" Chen, C.-T.; Suslick, K. S. *Coord. Chem. Rev.*, **1993**, *128*, 293-322; see also references therein. (b) Synthesis and Structures of Polar Coordination Polymers: [(SALEN)MnO₂CCH₂D-B:]_n (D = NH, S; -B: = 4-Pyridyl, 4-Cyanophenyl)" Chiang, W.; Ho, D. M. H.; Engen D. V.; Thompson, M. E. *Inorg. Chem.* **1993**, *32*, 2886-2893. (c) "The Synthesis of Metal Coordination Polymers Using Lessons Learned from Monomeric Werner Complexes: Chromium(III) β -Diketonate Polymers" Archer, R. D.; Lauterbach, A.; Ochaya, V. O. *Polyhedron*, **1994**, *13*, 2043-2048. (d) "Three-Dimensional Coordination Polymers of Ruthenium(2+) with 1,4-Diisocyanobenzene Ligands and Their Catalytic Activity" Tannenbaum, R. *Chem. Mater.* **1994**, *6*, 550-555. (e) "Building a Two-dimensional Co-ordination Polymer having a Multilayered Arrangement. A Molecular Assembly comprising Hanging Phenazine Molecules between Polymeric Stair Frameworks of Copper(I) Halides." Munakata, M.; Kuroda-Sowa, T.; Maekawa, M.; Honda, A.; Kitagawa, S. *J. Chem. Soc., Dalton Trans.*, **1994**, *1*, 2771. (f) "Spontaneous Assembly of a Hinged Coordination Network" Gardner, G. B.; Venkataraman, D.; Moore, J. S.; Lee, S. *Nature*, **1995**, *374*, 792-795. (g) "Novel 2-fold Interpenetrating Diamondoid Coordination Polymers: [Cu(3,3'-bipyridine)₂]X (X = BF₄⁻, PF₆⁻)." Lopez, S.; Kahraman, M.; Harmata, M.; Keller, S. W., *Inorg. Chem.*, **1997**, *36*, 6138. (h) "Quasi-Unidimensional {[M(dmb)₂]Y} Organometallic Polymers (M = Cu(I), Ag(I); dmb = 1,8-Diisocyano-p-menthane; Y = BF₄⁻, PF₆⁻, NO₃⁻, ClO₄⁻, CH₃CO₂⁻). Structural, Calorimetric, and Luminescence Properties" Fortin, D.; Drouin, M.; Turcotte, M.; Harvey, P. D., *J. Am. Chem. Soc.*, **1997**, *119*, 531. (i) "Coordination Networks of 3,3'-Dicyanodiphenylacetylene and Silver(I) Salts: Structural Diversity through Changes in Ligand Conformation and Counterion" *Inorg. Chem.*, **1997**, *36*, 2960. (j) "Coordination Polymers of Co(NCS)₂ with Pyrazine and 4,4'-Bipyridine: Syntheses and Structures" Lu, J.; Paliwala, T.; Lim, S. C.; Yu, C.; Niu, T.; Jacobson, A. J., *Inorg. Chem.*, **1997**, *36*, 923. (k) "Toward a Hexagonal Grid Polymer: Synthesis, Coupling, and Chemically Reversible Surface-Pinning of the Star Connectors, 1,3,5-C₆H₃(CB₁₀H₁₀CX)₃" Schöberl, U.; Magnera, T. F.; Harrison, R. M.; Fleischer, F.; Pflug, J. L.; Schwab, P. F. H.; Meng, X.; Lipiak, D.; Noll, B. C.; Allured, V. S.; Rudalevige, T.; Lee, S.; Michl, J., *J. Am. Chem. Soc.*, **1997**, *119*, 3907. (k) "Coordination Networks in of 3,3-Dicyanodiphenylacetylene and Silver (I) Salts: Structural Diversity through Changes in Ligand Conformation and Counterion" Hirsch, K. A.; Wilson, S. R.; Moore, J. S. *Inorg. Chem.*, **1997**, *36*, 2960. (l) "Nitrile Functionalized Pendant-Arm Derivatives of [9]aneN₃ as New Multidentate Ligands for Inorganic Crstal Engineering ([9]aneN₃ = 1,4,7-triazacyclononane). Tei, L.; Lippolis, V.; Blake, A. J.; Cooke, P. A.; Schröder, M. *Chem Commun.*, **1998**, 2633-2634.

B. 1. CONDUCTING MOLECULAR MATERIALS REF

- (a) "Superconductivity in an Organic Solid. Synthesis, Structure, and Conductivity of Bis-(tetramethyltetraselenafulvalenium) Perchlorate, (TMTSF)₂ClO₄" Bechgaard, K.; Carneiro, K.; Rasmussen, F.B.; Olsen, M. *J. Am. Chem. Soc.* **1981**, *103*, 2440-2442. (b) "From Organic Metals to Superconductors: Managing Conduction Electrons in Organic Solids" Wudl, F. *Acc. Chem. Res.* **1984**, *17*, 227-232. (c) "Highly Conducting Charge-Transfer Compounds of Tetrathiafulvalene and Transition Metal-'dmit' Complexes" Bousseau, M.; Valade, L.; Legros, J.; Cassoux, P.; Garbaskas, M.; Interrante, L. *J. Am. Chem. Soc.*, **1986**, *108*, 1908-1916. (d) "On Ambient-Pressure Superconductivity in Organic Conductors: Electrical Properties of (DMET)₂I₃, (DMET)₂I₂Br and (DMET)₂IBr₂" Kikuchi, K.; Murata, K.; Honda, Y.; Namiki, T.; Saito, K.; Ishiguro, T.; Kobayashi, K.; Ikemoto, I. *Journal of the Physical Society of Japan* **1987**, *56*, 3436-3439. (e) "Rational Design of Synthetic Metal Superconductors" Williams, J. M.; Wang, H.; Emge, T. J.; Geiser, U.; Beno, M.A.; Leung, P. C. W.; Carlson, K. D.; Thorn, R. J.; Schultz, A. J.; Whangbo, H. H. In *Prog. Inorg. Chem.* Lippard, S. J.; Ed; Wiley: New York **1987**; *35*, 51-218. (f) "A New Ambient Pressure Organic Superconductor Based on BEDT-TTF with T_c Higher than 10 K (T_c = 10.4 K)" Urayama, H.; Yamochi, H.; Saito, G.; Nozawa, K.; Sugano, T.; Kinoshita, M.; Sato, S.; Oshima, K.; Kawamoto, A.; Tanaka, J. *Chem. Lett.* **1988**, 55-58. (g) Saito, G.S.; Kagoshima, S. Eds, *The Physics and Chemistry of Organic*

Superconductors; Springer: Berlin, 1990. (h) "Interfaces Between Molecular and Polymeric 'Metals': Electrically Conductive, Structure-Enforced Assemblies of Metallomacrocycles" Marks, T. J. *Angew. Chem. Int. Ed. Engl.* 1990, 29, 57-879. (i) Williams, J. M.; Ferraro, J. M.; Thorn, R. J.; Carlson, K. D.; Geiser, U.; Wang, H. H.; Kini, A. M.; Whangbo, M. H. in *Organic Superconductors. Synthesis, Structure, Properties and Theory*, Grimes, R. N. Ed. Prentice Hall: Englewood Cliffs, New Jersey, 1992. (j) "Crystal Structures, Electrical Conductivity and Band-Structure Calculations of Three New [cation][Ni(C₃S₅)₂]₂ Compounds" *J. Chem. Soc. Dalton Trans.* 1992, 2911-2921. (k) "Synthesis, Crystal Structure, Electrical Properties, and Electronic Band Structure of (NH_yMe_{4-y})_x[M(dmit)₂] Complexes (M = Ni, Pd, Pt; dmit²⁻ = 2-Thioxo-1,3-dithiole-4,5-dithiolato)" Pomarède, B.; Garreau, B.; Malfant, I.; Valade, L.; Cassoux, P.; Legros, J.; Audouard, A.; Brossard, L.; Ulmet, J.; Doublet, M.; Canadell, E. *Inorg. Chem.* 1994, 33, 3401-3414.

C. MICROPOROUS MATERIALS BASED ON COORDINATION CHEMISTRY

(a) "Spontaneous Assembly of a Hinged Coordination Network" Gardner, G. B.; Venkataraman, D.; Moore, J. S.; Lee, S. *Nature*, 1995, 374, 792-795. (b) "Zeolite-like Behavior of a Coordination Network" Venkataraman, D.; Gardner, G. B.; Lee, S.; Moore, J. S. *J. Am. Chem. Soc.*, 1995, 117, 11600-11601. (c) Whiteford, J. A.; Rachlin, E. M.; Stang, P. J. *Angew. Chem. Int. Ed. Engl.* 1996, 35, 2524. (d) "Hydrothermal Synthesis of a Metal-Organic Framework Containing Large Rectangular Channels" Yaghi, O. M.; Li, H. *J. Am. Chem. Soc.*, 1995, 117, 10401. (e) "T-Shaped Molecular Building Units in the Porous Structure of Ag(4,4-bpy)-NO₃" Yaghi, O. M.; Li, H. *J. Am. Chem. Soc.*, 1996, 118, 295. (f) "Construction of Porous Solids from Hydrogen-Bonded Metal Complexes of 1,3,5-benzenetricarboxylic Acid" Yaghi, O. M.; Li, H.; Groy, T. L. *J. Am. Chem. Soc.*, 1996, 118, 9096. (g) "Construction of Three-Dimensional Supramolecular Coordination Cu(I) Compounds with Channel Structures Hosting a Variety of Anions by Changing the Hydrogen-Bonding Mode and Distances" Munakata, M.; Wu, L. P.; Yamamoto, M.; Kuroda-Sowa, T.; Maekawa, M. *J. Am. Chem. Soc.*, 1996, 118, 3117-3124. (h) "X-ray Crystal Structure of C₆H₃(CO₂H)₃-1,3,5-1.5(4,4'-bipy): A 'Super' Trimesic Acid' Chicken-Wire Grid" Krishnamohan Sharma, C. V.; Zaworotko, M. J. *Chem. Commun.*, 1996, 2655-2656. (i) "Desolvation of a Novel Microporous Hydrogen-Bonded Framework: Characterization by In Situ Single-Crystal and Powder X-ray Diffraction" Kepert, C. J.; Hesk, D.; Beer, P. D.; Rosseinsky, M. J. *Angew. Chem. Int. Ed.* 1998, 37, 3158.

D. 2. NLO OPTICAL REFERENCES

(a) "Novel Electronic Materials" Bishop, A. R.; Swanson, B. I. *Los Alamos Science* 1993, 21, 133-143. (b) Stiegman, A. E.; Graham, E.; Perry, K. J.; Khundkar, L. R.; Cheng, L.-T.; Perry, J. W. *J. Am. Chem. Soc.* 1991 113, 7658. (c) Simon, J.; Bassoul, P.; Norvez, S. *New. J. Chem.* 1989, 13, 13. (d) Williams, D. J. *Angew. Chem. Int. Ed. Engl.* 1984, 23, 690. (e) Eaton, D.F.; Anderson, A.G.; Tam, W.; Wang, Y. *J. Am. Chem. Soc.* 1987, 109, 1886. (f) Eaton, D.F.; Anderson, A.G.; Tam, W.; Wang, Y. *ACS Symposium Ser. Polymers for High Tech* 1987 346, 381. (g) Chelma, D. S.; Zyss, J. Eds. *Nonlinear Optical Properties of Organic Materials and Crystals* Academic Press: Orlando, 1987.

E. GENERAL REVIEWS OF MOLECULAR MAGNETISM

(a) "Dinuclear Complexes with Predictable Magnetic Properties" Kahn, O. *Angew. Chem. Int. Ed. Engl.* 1985, 24, 834-350. (b) Proceedings of the Conference on *Ferromagnetic and High Spin Molecular Based Materials*, Ed. Miller, J. S.; Dougherty, D. A. *Mol. Cryst. Liq. Cryst.* 1989, 176. (c) "Ferromagnetic Spin Alignment in Molecular Systems: An Orbital Approach" Kollmar, C.; Kahn, O. *Acc. Chem. Res.* 1993, 26, 259-265. (d) "Organic and Organometallic Molecular Magnetic Materials-Designer Magnets" Miller, J.; Epstein, A. *Angew. Chem. Int. Ed. Engl.* 1994, 33, 385-415. (e) *Molecular Magnetism*, Kahn, O. VCH: New York, NY., 1993. (f) Proceedings of the Conference on the *Chemistry and Physics of Molecular Based Magnetic Materials* Eds: Iwamura, H.; Miller, J. S. *Mol. Cryst. Liq. Cryst.* 1993, 232/233. (g) Proceedings of the Conference on *Molecular Magnetic Materials*, Eds: Kahn, O.; Gatteschi, D.; Miler, J. S.; Palacio, F. *NATO ASI Molecular Magnetic Materials, E198*, 1991. (h) "The Chemistry of Magnets" Day, P. *Science*, 1994, 261, 421-422. (i) "Molecular Magnetism: New Language and

New Objects" Kahn, O. *Comments Cond. Mat. Phys.* **1994**, *17*, 39-58. (j) "Large Clusters of Metal Ions: The Transition from Molecular to Bulk Magnets" Gatteschi, D.; Caneschi, A.; Pardi, L.; Sessoli, R. *Science*, **1994**, *265*, 1054-1058. (k) "Molecular Magnets: Blueprint for success" Kahn, O., *Nature*, **1995**, *378*, 667-668 (l) "Molecular Magnetism: A Multidisciplinary Field of Research" Kahn, O.; Cador, O.; Larinova, J.; Mathonière, C.; Sutter, J. P.; Ouahab, L. *Mol. Cryst. Liq. Cryst. Science and Tech. Sec. A - Mol. Cryst. Liq. Cryst.* **1997**, *305*, 1-16. (m) "The Open-Shell Molecules: Chemical Objects Rich in Potentialities" Kahn, O. *Actualite Chimique* **1996**, *7*, 62-68. (n) "From Molecules to Materials: Current Trends and Future Directions" Alivisatos, A. P.; Barbara, P. F.; Castleman, A. W.; Chang, J.; Dixon, D. A.; Klein, M. L.; McCLEndon, G. L.; Miller, J. S.; Ratner, M. A.; Rossky, P. J.; Stupp, S. I.; Thompson, M. E. *Adv. Mat.*, **1998**, *10*, 1297-1336.

F. GENERAL MOLECULAR MAGNETISM REFERENCES

(a) "Spin-3/2 Iron Ferromagnet: Its Mössbauer and Magnetic Properties" Wickman, H. H.; Trozzolo, A. M.; Williams, H. J.; Hull, G. W.; and Merritt, F. R. *The Physical Review*, **1967**, *155*, 563-566. (a) "Ferromagnetic Transition in a Bimetallic Molecular System" Pei, Y.; Verdagner, M.; Kahn, O.; Sletten, J.; Renard, J.-P. *J. Am. Chem. Soc.*, **1986**, *108*, 7428-7430 (a) "Ferromagnetic Properties of One-dimensional Decamethylferrocenium Tetracyanoethylene (1:1): $[\text{Fe}(\eta^5\text{-C}_5\text{Me}_5)_2]^+[\text{TCNE}]^-$ " Miller, J. S.; Calabrese, J. C.; Epstein, A. J.; Bigelow, R. W.; Zhang, J. H.; Reiff, W. M. *J. Chem. Soc., Chem. Commun.*, **1986**, 1026-1027. (b) "Ferromagnetic Alternating Spin Chains" Caneschi, A.; Gatteschi, D.; Laugier, J.; Rey, P. *J. Am. Chem. Soc.*, **1987**, *109*, 2191-2192. (c) "Orthogonality of the Magnetic Orbitals and Ferromagnetic Interaction" Kahn, O.; Pei, Y.; Journaux, Y. *Mol. Cryst. Liq. Cryst.* **1989**, *176*, 429-442. (d) $[\text{Fe}(\text{C}_5\text{Me}_4\text{H})_2]^{*+}[\text{A}]^{*-}$ (A = TCNE, TCNQ) Miller, J. S.; Glatzhofer, D. T.; O'Hare, D. M.; Reiff, W. M.; Chakraborty, A.; Epstein, A. J. *Inorg. Chem.* **1989**, *28*, 2930-2939. (g) "Design of a Molecular-Based Ferromagnet through Polymerization Reaction in the Solid State of $\text{Mn}^{\text{II}}\text{Cu}^{\text{II}}$ Molecular Units. Crystal Structure of $\text{MnCu}(\text{obze})(\text{H}_2\text{O})_4 \cdot 2\text{H}_2\text{O}$ (obze = Oxamido-*N*-benzoato-*N'*-ethanoato)" Pei, Y.; Kahn, O.; Nakatani, K.; Codjovi, E.; Mathonière, C.; Sletten, J. *J. Am. Chem. Soc.* **1991**, *113*, 6558-6564. (i) "Bimetallic Molecular-Based Magnets with Large Coercive Fields" Stumpf, H. O.; Pei, Y.; Michaut, C.; Kahn, O.; Renard, J. P.; Ouahab, L. *Chem. Mater.* **1994**, *6*, 257-259. (l) "Chiral Three-Dimensional Supramolecular Compounds: Homo- and Bimetallic Oxalate- and 1,2-Dithiooxalate-Bridged Networks. A Structural and Photophysical Study" Decurtins, S.; Schmalte, H. W.; Pellaux, R.; Schneuwly, P.; Hauser, A. *Inorg. Chem.*, **1996**, *35*, 1451. (m) "Magnetic Dipole-Dipole Interactions and Single-Ion Anisotropy: Revisiting a Classical Approach to Magnets" Wynn, C. M.; Girtu, M. A.; Brinckerhoff, W. B.; Sugiura, K. I.; Miller, J. S.; Epstein, A. J. *Chem. of Mat.*, **1997**, *9*, 2156-2163. (n) "Two-Dimensional Nitroxide-Based Molecular Magnetic Materials" Fegy, K.; Luneau, D.; Ohm, T.; Paulsen, C.; Rey, P. *Angew. Chem. Int. Ed.*, **1998**, *37*, 1270-1273. (o) "The Influence of Disorder on the Magnetic Phenomena in Metalloporphyrin-Based Magnets" Girtu, M. A.; Wynn, C. M.; Sugiura, K. I.; Miller, J. S.; Epstein, A. J. *Synth. Met.*, **1997**, *85*, 1703-1704. (p) "Spin Polarization and Ferromagnetism in Two-Dimensional Sheetlike Cobalt(II) Polymers: $[\text{Co}(\text{L})_2(\text{NCS})_2]$ (L = Pyrimidine or Pyrazine)" Lloret, F.; De Munno, G.; Julve, M.; Cano, J.; Ruiz, R.; Caneschi, A. *Angew. Chem. Int. Ed.*, **1998**, *37*, 135-138

G. DICYANAMIDE REFS

(a) "Structure and Magnetic ordering of $\text{M}^{\text{II}}[\text{N}(\text{CN})_2]_2$ (M = Co, Ni)" Manson, J. L.; Kmety, C. R.; Huang, Q.; Lynn, J.; Bendele, G.; Pagola, S.; Stephens, P. W.; Epstein, A. J.; Miller, J. S. *Chem. Mater.*, **1998**, *10*, 2552. (b) "Structure and Magnetic Properties of $\text{Mn}^{\text{II}}[\text{N}(\text{CN})_2]_2(\text{pyrazine})$. An Antiferromagnet with an Interpenetrating 3-D Network Structure" Manson, J. L.; Incarvito, C. D.; Rheingold, A. L.; Miller, J. S. *J. Chem. Soc., Dalton Trans.*, **1998**, 3705-3706. (c) "Structure and Ordering of $\text{M}^{\text{II}}[\text{N}(\text{CN})_2]_2$ (M = Co, Ni)" Manson, J. L.; Kmety, C. R.; Huang, Q. Z.; Bendele, G. M.; Pagola, S.; Stephens, P. W.; Liable-Sands, L. M.; Rheingold, A. L.; Epstein, A. J.; Miller, J. S. *Chem. of Mat.*, **1998**, *10*, 2552-2560. (d) "Interpenetrating Three-Dimensional Rutile-Like Frameworks. Crystal Structure and Magnetic Properties of $\text{Mn}^{\text{II}}[\text{C}(\text{CN})_3]_2$ " Manson, J. L.; Campana, C.; Miller, J. S. *Chem. Commun.*, **1998**, 251-252. (e) Batten, S. R.; Jensen, P.; Moubaraki, B.; Murray, K. S.; Robson,

R. *Chem. Commun.*, **1998**, 439. (f) "Buckled-Layered Structure of Zinc Dicyanamide, $Zn^{II}[N(CN)_2]_2$ " (f) "Molecular Magnetism in Manganese Dicyanamide Extended Network Structures" Murray, K. S.; Batten, S. R.; Moubaraki, B.; Price, D. J.; Robson, R. *Mol. Cryst. Liq. Cryst.*, in press. (g) "Magnetic Materials Containing the Dicyanamide Anion, $\{(CN)_2\}^-$ " Kepert, C.; Kurmoo, M. *Mol. Cryst. Liq. Cryst.*, in press.

H. 5. HYBRID INORGANIC/ORGANIC MATERIALS ESPECIALLY THOSE COMBINING MAGNETIC AND CONDUCTING PROPERTIES

(a) "Transition of Local Moments Coupled to Itinerant Electrons in the Quasi One-Dimensional Conductor Copper Phthalocyanine Iodide" Ogawa, M. Y.; Hoffman, B. M.; Lee, S.; Yudkowsky, M.; Halperin, W. P. *Phys. Rev. Lett.* **1986**, *7*, 1177. (b) Structure and Properties of Tris[bis(ethylenedithio)-tetrathia-fulvalenium]tetrachlorocopper(II)Hydrate, (BEDT-TTF)₃CuCl₄·H₂O: First Evidence for Coexistence of Localized and Conduction Electrons in a Metallic Charge-Transfer Salt" Day, P.; Kurmoo, M.; Mallah, T.; Marsden, I. R.; Friend, R. H.; Pratt, F. L.; Hayes, W.; Chasseau, D.; Gaultier, J.; Bravic, G.; Ducasse, L. *J. Am. Chem. Soc.*, **1992**, *114*, 10722. (c) "A Weak Antiferromagnetic Interaction Between Mn²⁺ Centers through a TCNQ Column: Crystal Structures and Magnetic Properties of [Mn^{II}(tpa)(TCNQ)(CH₃OH)](TCNQ)₂·CH₃CN, [Mn^{II}(tpa)(μ-O₂CCH₃)₂(TCNQ)₂ · 2CH₃CN, and [Mn^{II}(tpa)(NCS)₂] · CH₃CN (tpa = tris(2-pyridyl-methyl)amine]" Oshio, H.; Ino, E.; Mogi, I.; Ito, T. *Inorg. Chem.* **1993**, *32*, 5697. (d) "An Organic-Inorganic salt Containing Mixed-valence TTF Chains and the Molecular Metal Oxide [Mo₈O₂₆]⁴⁻. Preliminary Spectroscopic Conducting and Magnetic Properties of the Compound (TTF)₇Mo₈O₂₆" Gomez-Garcia, C. J.; Coronado, E.; Triki, S.; Ouahab, L.; Delhaes, P. *Synth. Met.* **1993**, *56*, 1787-1790. (e) "Organic Inorganic Salts made by TTF and Magnetic Clusters" Gomez-Garcia, C. J.; Borrás-Almenar; Coronado, E.; Delhaes, P.; Garrigou-Lagrange, C.; Baker, L. C. W. *Synth. Met.* **1993**, *56*, 2023-2027. (f) "Molecular Materials Mixing Magnetic and Conducting Properties" Coronado, E.; Galan-Mascaros, J. R.; Giménez-Saiz, C.; Gómez-Garcia, C. J. *IVth International Conference on Molecule-Based Magnets*. Salt Lake City, UT, 16-21 October 1994. (g) "Coexistence of Magnetic and Delocalized Electrons in Hybrid Molecular Materials. The Series of Organic-Inorganic Radical Salts (BEDT-TTF)₈[XW₁₂O₄₀](solv)_n (X = 2(H⁺), B^{III}, Si^{IV}, Cu^{II}, Co^{II}, Fe^{III}; solv = H₂O, CH₃CN)" Gomez-Garcia, C. J.; Gimenez-Saiz, C.; Triki, S.; Coronado, E.; Magueres, P. L.; Ouahab, L.; Ducasse, L.; Sourisseau, C.; Delhaes, P. *Inorg. Chem.* **1995**, *34*, 4139-4151. (h) NATO ASI "Localized and Itinerant Molecular Magnetism: From Molecular Assemblies to the devices" Puerto de la Cruz, Tenerife, Spain April 23- May 3, 1995. (i) "Superconducting and Semiconducting Magnetic Charge Transfer Salts: (BEDT-TTF)₄AFe(C₂O₄)₃·C₆H₅CN (A = H₂O, K, NH₄)" Kurmoo, M.; Graham, A. W.; Day, P.; Coles, S. J.; Hursthouse, m. B.; Caulfield, J. L.; Singleton, J.; Pratt, S. J.; Hayes, W.; Ducasse, L.; Guionneau, P. *J. Am. Chem. Soc.* **1995**, *117*, 12209. (j) New BETS Conductors with Magnetic Anions (BETS = bis(ethylenedithio)tetraselenafulvalene)" Kobayashi, H.; Tomita, T.; Naito, T.; Kobayashi, A.; Sakai, F.; Watanabe, T.; Cassoux, P. *J. Am. Chem. Soc.*, **1996**, *118*, 368. (j) "Metal-Organic layers in Molecular Magnets and Superconductors" Day, P. *Mol. Cryst. Liq. Cryst. Science and Tech. Sec. A - Mol. Cryst. Liq. Cryst.* **1996**, *285*, 1. (k) "New Molecular Superconductor Containing paramagnetic Chromium(III) Ions" Martin, L.; Turner, S. S.; Day, P. *Chem. Commun.* **1997**, *15*, 1367. (l) "Molecular Magnetic Semiconductors, metals and Superconductors: BEDT-TTF Salts with Magnetic Anions" Day, P.; Kurmoo, M. *J. Mat. Chem.* **1997**, *7*, 1291. (m) "Metal-Organic Layer Magnets with and Without Metallic Conduction" Day, P. *Mol. Cryst. Liq. Cryst. Science and Tech. Sec. A - Mol. Cryst. Liq. Cryst.* **1997**, *305*, 533. (o) "A New Family of Hybrid Materials formed by TTF Layers and Oxalato-Bridged Bimetallic Magnetic clusters" *Synth. Met.*, **1997**, *85*, 1677-1678. (p) "Application of the Langmuir-Blodgett Technique to Polyoxometallates: Towards New Magnetic Films" Clemente-León, M.; Mingotaud, C.; Agricole, B.; Gómez-Garcia, C.; Coronado, E.; Delhaés, P. *Angew. Chem. Int. Ed. Engl.*, **1997**, *36*, 1114-1116. (q) "New Magnetic Superconductors: A Toy Box For Solid-State Physicists" Canfield, P. C.; Gammel, P. L.; Bishop, D. J. *Physics Today*, October **1998**, 40-45. (r) "Superconductors, Metal and Magnets: Structure-Property Relations in Molecular Charge Transfer Salts" Day, P. *Physica Scripta*, **1993**, *T49*, 726-720. (s)

Organic/Inorganic Langmuir-Blodgett Films Based on Metal Phosphonates. 3. An Azobenzene-Derivatized Phosphonic Acid Forms Continuous Lattice Layers with Divalent, Trivalent, and Tetravalent Metal Ions" Petruska, M. A.; Talham, D. R. *Chem. Mater.* **1998**, *10*, 3672.

I. SINGLE-MOLECULE MAGNETS REFERENCES AND QUANTUM TUNNELLING REFERENCES

(a) "Alternating Current Susceptibility, High Field Magnetization, and Millimeter Band EPR Evidence for a Ground $S=10$ State in $[\text{Mn}_{12}\text{O}_2(\text{CH}_3\text{COO})_{16}(\text{H}_2\text{O})_4 \cdot 2 \text{CH}_3\text{COOH} \cdot 4\text{H}_2\text{O}]$ " Caneschi, A.; Gatteschi, D.; Sessoli, R. *J. Am. Chem. Soc.*, **1991**, *113*, 5873-5874. (a) Magnetic Bistability in a Metal-Ion Cluster" Sessoli, R.; Gatteschi, D.; Caneschi, A.; Novak, M. A. *Nature* **1993**, 141-143. (b) "Macroscopic Measurement of Resonant Magnetization Tunneling in High-Spin Molecules" Friedman, J. R.; Sarachik, M. P.; Tejada, J.; Ziolo, R. *Phys. Rev. Lett.*, **1996**, *76*, 3830. (c) "Macroscopic Quantum Tunnelling of Magnetization in a Single Crystal of Nanomagnets" Thomas, L.; Lioni, F.; Ballou, R.; Gatteschi, D.; Sessoli, R.; Barbara, B. *Nature* **1996**, 383, 145. (d) "Distorted $\text{Mn}^{\text{IV}}\text{Mn}_3^{\text{III}}$ Cubane Complexes as Single-molecule Magnets." Aubin, S. M. J.; Wemple, M. W.; Adams, D. M.; Tsai, H. L.; Christou, G.; Hendrickson, D. N. *J. Am. Chem. Soc.*, **1996**, *118*, 7746. (e) "Single-Molecule Magnets: Magnetization Relaxation and Quantum Tunneling in Dodecanuclear Manganese Complexes" Aubin, S. M. J., Spagna, S., Eppley, H. J., Sager, R. E., Folting, K., Christou, G., Hendrickson, D. N., *Mol. Cryst. and Liq. Cryst. Science and Tech. Sec. A-Mol. Cryst. And Liq. Cryst.*, **1997**, *305*, 181. (f) "Single-Molecular Magnets: Characterization of Complexes Exhibiting out-of-phase AC Susceptibility Signals" Eppley, H. J., Aubin, S. M. J., Wemple, M. W., Adams, D. M., Tsai, H. L., Grillo, V. A., Castro, S. L., Sun, Z. M., Folting, K., Huffman, J. C., Hendrickson, D. N., Christou, G., *Mol. Cryst. and Liq. Cryst. Science and Tech. Sec. A-Mol. Cryst. And Liq. Cryst.*, **1997**, *305*, 167. (g) "Single-Molecule Magnets: Out-of-Phase ac Susceptibility Signals from Tetranuclear Vanadium(III) Complexes with an $S = 3$ Ground State" Sun, Z. M.; Grant, C. M.; Castro, S. L.; Hendrickson, D. N.; Christou, G. *Chem. Commun.*, **1998**, 6, 721. (h) "Nonlinear Magnetic Susceptibility of Molecular Magnets: Tunneling of High-Spin Molecules" Vernier, N.; Bellessa, G.; Mallah, T.; Verdager, M., *Phys. Rev. B-Cond. Mat.*, **1997**, *56*, 75. (i) "Manganese Carboxylate Clusters: From Structural Aesthetics to Single-Molecule Magnets" Aromi, G.; Aubin, S. M. J.; Bolcar, M. A.; Christou, G.; Eppley, H. J.; Folting, K.; Hendrickson, D. N.; Huffman, J. C.; Squire, R. C.; Tsai, H. L.; Wang, S.; Wemple, M. W. *Polyhedron*, **1998**, *17*, 3005. (j) Single-Molecule Magnets: Different Rates of Resonant Magnetization Tunneling in Mn_{12} Complexes" Ruiz, D.; Sun, Z.; Albela, B.; Folting, K.; Ribas, J.; Christou, G.; Hendrickson, D. N. *Angew. Chem. Int. Ed.*, **1998**, *37*, 300. (k) "High-Frequency EPR Spectroscopy of Large Metal Clusters: From Zero-Field Splitting to Quantum Tunneling of the Magnetization" Barra, A. L.; Brunel, L. C.; Gatteschi, D.; Pardi, L.; Sessoli, R. *Acct. Chem. Res.*, **1998**, *31*, 460-466.

J. OTHER LARGE CLUSTERS AS RELATED TO MAGNETISM GENERAL REF TO NANOCLUSTERS

(a) "A Mixed-Valent Polyiron Oxo Complex that Models the Biomineralization of the Ferritin Core" *Science* **1993**, *259*, 1302-1305. (b) "Large Clusters of Metal Ions: The Transition from Molecular to Bulk Magnets" Gatteschi, D.; Caneschi, A.; Pardi, L.; Sessoli, R. *Science* **1994**, *265*, 1054-1058. (c) $[\text{Fe}(\text{OMe})_2(\text{O}_2\text{CCH}_2\text{Cl})]_{10}$, a Molecular Ferric Wheel" Taft, K. L.; Delfs, C. D.; Papaefthymiou, Foner, S.; Gatteschi, D.; Lippard, S. J. *J. Am. Chem. Soc.*, **1994**, *116*, 823-832. (d) "Synthesis, Structures and Magnetic Properties of Fe_2 , Fe_{17} and Fe_{19} Oxo-Bridged Iron Clusters: The Stabilization of High Ground State Spins by Cluster Aggregates" *J. Am. Chem. Soc.*, **1995**, *117*, 2491-2502. (e) "Hexacyanometalates: Molecular Precursors for High-Spin Molecules and High T_c Molecule-based Magnets" Mallah, T.; Ferlay, S.; Augberger, C.; Helary, C.; L'Hermite, F.; Ouahes, R.; Vaissermann, J.; Verdager, M.; Veillet, P. *Mol. Cryst. Liq. Cryst. Sec A.- Mol. Cryst. Liq. Cryst.*, **1995**, *273*, 141-11. (f) "A Rational Route to High-Spin Molecules via Hexacyanometalates: A New μ -cyano $\text{Cr}^{\text{III}}\text{Mn}_6^{\text{II}}$ Heptanuclear Complex with a Low-Lying $S=7/2$ ground state" Sculler, A.; Mallah, T.; Verdager, M.; Nivorozhkin, A.; Tholence, J. L.; Veillet, P. *New J. of Chem.*, **1996**, *20*, 1-13. (e) A Heptanuclear $\text{Cr}^{\text{III}}\text{Ni}^{\text{II}}_6$

Complex with a Low-Lying $S=15/2$ Ground State" Mallah, T.; Auberger, C.; Verdagner, M.; Veillet, P. *J. Chem. Soc., Chem. Commun.*, 1996, 61. (x) "Quantum-size Effects in the Thermodynamic Properties of Metallic Properties" Volokitin, Y.; Sinzig, J.; de Jongh, L. J.; Schmidt, G.; Vargaftik, M. N.; Moiseev, I. I. *Nature* 1996, 384, 621-623. (f) "Structure and Magnetic Properties of a Mixed-Valence Heptanuclear Manganese Cluster" Abbati, G. L.; Cornia, A.; Fabretti, A. C.; Caneschi, A.; Gatteschi, D. *Inorg. Chem.*, 1998, 37, 3759-3766. (g) "A Ferromagnetic Ring of Six manganese(III) ions with a $S=12$ Ground State" Abbati, G. L.; Cornia, A.; Fabretti, A. C.; Caneschi, A.; Gatteschi, D. *Inorg. Chem.*, 1998, 37, 1430. (h) "The Role of Big Metal Clusters in Nanoscience" Schmid, G. *J. Chem. Soc., Dalton Trans.*, 1998, 1077-1082. (i) "Nanoscale Cages of Manganese and Nickel with "Rock Salt" Cores" Brechin, E. K.; Clegg, W.; Murrie, M.; Parsons, S.; Teat, S. J.; Winpenny, R. E. P. *J. Am. Chem. Soc.*, 1998, 120, 7365-7366. (j) "Formation of a Ring-Shaped Reduced "Metal Oxide" with the Simple Composition $[(\text{MoO}_3)_{176}(\text{H}_2\text{O})_{80}\text{H}_{32}]$ " Müller, A.; Krickemeyer, E.; Bögge, H.; Schmidtman, M.; Beugholt, C.; Kögerler, P.; Lu, C. *Angew. Chem. Int. Ed. Engl.*, 1998, 37, 1220-1223. (k) "A Cyclic Octadecairon(III) Complex, the Molecular 18-Wheeler" Watton, S. P.; Fuhrmann, P.; Pence, L. E.; Caneschi, A.; Cornia, A.; Abbati, G. L.; Lippard, S. J. *Angew. Chem. Int. Ed. Engl.*, 1997, 36, 2774-2776. (x) " $\text{Pd}_{59}(\text{CO})_{32}(\text{PMe}_3)_{21}$: A Nanosized Metal Cluster Containing A Trigonal D_3 Pd_{59} Core With 11 Interior Palladium Atoms" Tran, N. T.; Kawano, M.; Powell, D. R.; Dahl, L. F. *J. Am. Chem. Soc.*, 1998, 120, 10986-10987. (x) "Molecular Growth from a Mo_{176} to a Mo_{218} Cluster" *Nature* 1999, 397, 48-50. Müller, A.; Shah, S. Q. N.; Bögge, H.; Schmidtman, M.

K. SPIN CROSSOVER REFERENCES (ADD OLIVIER KAHN REFS AND GUTLICH)

"Spin-Crossover Molecular Materials." Kahn, O., *Current Opinion in Solid State & Materials Science*, 1996, 1, 547-554. (b) "Variable-Temperature Studies of Laser-Initiated $^5T_2 \rightarrow ^1A_1$ Intersystem Crossing in Spin-Crossover Complexes: Empirical Correlations Between Activation Parameters and Ligand Structure in a Series of Polypyridyl Ferrous Complexes." McCusker, J. K.; Rheingold, A. L.; Hendrickson, D. N. *Inorg. Chem.*, 1996, 35, 2100-2112. (c) "Photoinduced Valence Tautomerism in Cobalt Complexes Containing Semiquinone Anion as Ligand - Dynamics of the High-Spin $[\text{Co}^{\text{II}}(3,5\text{-DTBSQ})_2$ to Low-Spin $[\text{Co}(3,5\text{-DTBSQ})(3,5\text{-DTBCAT})]$ Interconversion." Adams, D. M.; Li, B. L.; Simon, J. D.; Hendrickson, D. N., *Angew. Chem. Int. Ed. Engl.*, 1995, 34, 1481-1483. "Spin-Transition Molecular Materials for Display and Data Processing" Kahn, O.; Codjovi, E.; Garcia, Y.; van Köningsbruggen, P. J.; Lapouyade, R.; Sommier, L., *Molecule-Based Magnetic Materials, Chapter 20*, 1996, 644, 298-310. (e) "A Spin Transition Molecular Material with an Exceptionally Large Thermal Hysteresis Loop at Room Temperature." Codjovi, E.; Sommier, L.; Kahn, O., *New J. Chem.*, 1996, 20, 503-505. (f) "Spin Crossover in the 2,2'-bipyrimidine-(bpym) Bridged Iron(II) Complexes $[\text{Fe}(\text{L})(\text{NCX})_2]_2(\text{bpym})$ ($\text{L}=2,2'$ -bithiazoline (bt) and bpym; $\text{X}=\text{S}, \text{Se}$). X-ray Absorption Spectroscopy, Magnetic Susceptibility, Calorimetric, and Mossbauer Spectroscopy Studies" Real, J. A.; Castro, I.; Bousseksou, A.; Verdagner, M.; Burriel, R.; Castro, M.; Linares, J.; Varret, F., *Inorg. Chem.*, 1997, 36, 455-464. (g) "Spin Transition Molecular Alloys: An Attempt of Fine Tuning of the Transition Temperatures." Kahn, O.; Sommier, L.; Codjovi, E. *Chem. Mat.*, 1997, 9, 3199-3205. (h) "LIESST Effect Studies of Iron(II) Spin-Crossover Complexes with Phosphine Ligands: Relaxation Kinetics and Effects of Solvent Molecules." Wu, C. C.; Jung, J.; Gantzel, P. K.; Gutlich, P.; Hendrickson, D. N., *Inorg. Chem.*, 1997, 36, 5339-5347. (i) "Spin Crossover in the 2,2'-bipyrimidine-(bpym)-bridged Iron(II) Complexes $[\text{Fe}(\text{L})(\text{NCX})_2]_2(\text{bpym})$ ($\text{L}=2,2'$ -bithiazoline (bt) and bpym; $\text{X}=\text{S}, \text{Se}$). X-ray Absorption Spectroscopy, Magnetic Susceptibility, Calorimetric, and Mössbauer Spectroscopy Studies" Real, J. A.; Castro, I.; Bousseksou, A.; Verdagner, M.; Burriel, R.; Castro, M.; Linares, J.; Varret, F. *Inorg. Chem.* 1997, 36, 455. (j) "Synthesis, Structure Magnetic Behavior, and Mössbauer Spectroscopy of Two New Iron(II) Spin-Transition Compounds with the Ligand 4-isopropyl-1,2,4-Triazole. X-ray Structure of $[\text{Fe}_3(4\text{-isopropyl-1,2,4-triazole})_6(\text{H}_2\text{O})_6] \cdot 2\text{H}_2\text{O}$ " Kolnaar, J. J. A.; van Dijk, G.; Kooijman, H.; Spek, A. L.; Ksenofontov, V. G.; Gutlich, P.; Haasnoot, J. G.; Reedijk, J. *Inorg. Chem.*, 1997, 2433-2440. (k) "Spin-

Transition Polymers: From Molecular Materials toward Memory Devices" Kahn, O.; Martinez, C. J., *Science*, **1998**, *279*, 44-48. (l) "On Bistability in Molecular Systems: Photomagnetic Studies of Inorganic Complexes" Varret, F.; Constant-Machado, H.; Dormann, J. L.; Goujon, A.; Jestic, J.; Nogues, M.; Bousseksou, A.; Klokishner, S.; Dolbecq, A., *Hyperfine Interactions*, **1998**, *113*, 37-46. (m) "Spin-Crossover behavior under Pressure of Fe(PM-L)₂(NCS)₂ Compounds with Substituted 2'Pyridylmethylene-4-anilino Ligands" Ksenofontov, K.; Levchenko, G.; Spiering, H.; Gütllich, P.; Bouhedja, Y.; Kahn, O. *Chem. Phys. Lett.*, **1998**, *294*, 545-553.

L. GENERAL CYANIDE REFERENCES (NON-MAGNETIC)

28. (a) Iwamoto, T. in "Inclusion Compounds: Inorganic and Physical Aspects of Inclusion" Iwamoto, T. Atwood, J. L.; Davies, J. E. D.; MacNicol, D. D, Eds., Oxford University Press: Oxford. **1991**, *5*, Ch. 6, 177-212; see also references therein. (b) "Design and Construction of a New Class of Scaffolding-like Materials Comprising Infinite Polymeric frameworks of 3D-Linked Molecular Rods. A Reappraisal of the Zn(CN)₂ and Cd(CN)₂ Structures and the Synthesis and Structure of the Diamond-Related frameworks [N(CH₃)₄][Cu^IZn^{II}(CN)₄] and Cu[4,4',4",4'''-tetracyanotetraphenylmethane]-BF₄·xC₆H₅NO₂" Hoskins, B. F.; Robson, R. *J. Am. Chem. Soc.*, **1990**, *112*, 1546. (c) "A Honeycomb Form of Cadmium Cyanide. A New Type of 3D Arrangement of Interconnected Rods Generating Infinite Linear Channels of Large Hexagonal Cross-Section" Abrahams, B.F.; Hoskins, B. F.; Robson, R. *J. Chem. Soc. Chem. Commun.* **1990**, 60. (d) "The Archetype for a New Class of Simple Extended 3D Honeycomb Fragments. The Synthesis and X-ray Structures of Cd(CN)_{5/3}(OH)_{1/3} · 1/3(C₆H₁₂N₄), Cd(CN)₂ · 1/3(C₆H₁₂N₄), and Cd(CN)₂ · 2/3H₂O · Bu⁺OH (C₆H₁₂N₄ = Hexamethylenetetramine) revealing Two Topologically Equivalent but Geometrically Different Frameworks" Abrahams, B. F.; Hoskins, B. F.; Liu, J.; Robson, R. *J. Am. Chem. Soc.*, **1991**, *113*, 3045-3051. (e) "Crystal Engineering of Novel Materials Composed of Infinite Two- and Three-Dimensional Frameworks" Robson, R.; Abrahams, B. F.; Batten, S. R.; Gable, R. W.; Hoskins, B. F.; Liu, J. in "Supramolecular Architecture: Synthetic Control in Thin Films and Solids" ACS Symp. Ser. 499, Ed., Bein, T. American Chemical Society, **1992**, Ch. 19, pp. 256-273. (f) "Six Interpenetrating Quartz-Like Nets in the Structure of ZnAu₂(CN)₄" Hoskins, B. F.; Robson, R.; Scarlett, V. Y. *Angew. Chem. Int. Ed. Engl.*, **1995**, *34*, 1203-1204.

M. GENERAL REVIEWS OF THE CYANIDE FIELD

36. (a) "Ligand Field Strength of the Nitrogen End of Cyanide and Structures of Cubic Cyanide Polymers" Shriver, D. F.; Shriver, S. A.; Anderson, S. E. *Inorg. Chem.* **1965**, *4*, 725-730. (b) "Transition-Metal Cyanides and Their Complexes" Chadwick, B. M.; Sharpe, A. G. in *Advances in Inorganic Chemistry and Radiochemistry* Eds. Emeleus, H. J.; Sharpe, A. G. **1966**, *8*, 83-176. (c) Ludi, A.; Güdel, H. "Structural Chemistry of Polynuclear Transition Metal Cyanides" in *Structure and Bonding* **1973**, *14*, 1-21. (d) Sharpe, A. G. "The Chemistry of Cyano Complexes of the Transition Metals" Academic Press, London, **1976**. (e) Golub, A. M.; Kohler, H.; Skopenko, V. V. "Chemistry of Pseudohalides: Topics in Inorganic Chemistry" Ed. Clark, R. J. H. Elsevier, Oxford, **1986**, 77-185. (f) Griffith, W. P. *Coord. Chem. Rev.* **1975**, *17*, 177-247. (g) "Preparation and Structures of Metal-Cyanide-Lewis Acid Bridge Compounds" Shriver, D. F. *J. Am. Chem. Soc.*, **1963**, *85*, 1405-1408. (h) "Bridge Addition Compounds. III. The Influence of boron-Containing Lewis Acids on Electronic Spectra, Vibrational Spectra, and Oxidation Potentials of Some Iron-Cyanide Complexes" Shriver, D. F.; Posner, J. *J. Am. Chem. Soc.*, **1966**, *88*, 1672-1677.

N. PRUSSIAN BLUE REFERENCES

4. (a) Keggin, J. F.; Miles, F. D. *Nature* **1936**, *137*, 577. (b) "Charge-Transfer in Mixed-Valence Solids. Part VIII. Contribution of Valence Delocalisation to the Ferromagnetism of Prussian Blue" Mayoh, B.; Day, P. *J. C. S. Dalton* **1976**, 1483-1486. (c) "X-ray and Magnetic Studies of Perovskite-Related Cyano Compounds CsM^{II}M^{III}(CN)₆" Griebler, W.-D.; Babel, D. *Z. Naturforsch.*, **1982**, *37b*, 832-837. (d) "Magnetism and Structure: Model Studies on Transition Metal Fluorides and Cyanides" Babel, D. *Comments Inorg. Chem.* **1986**, *5*, 285-320. (e) "The Layer Structure of the Hydrated Tetramethylammonium-manganese-

(II)hexacyanochromate(III). $\text{NMe}_4\text{MnCr}(\text{CN})_6 \cdot 4\text{H}_2\text{O}$ " Witzel, M.; Babel, D. *Z. Naturforsch.*, **1985**, *40b*, 1344-1350. (f) "Magnetism and Structure: Model Studies on Transition Metal Fluorides and Cyanides" Babel, D. *Comments Inorg. Chem.* **1986**, *5*, 285-320. (g) "High- T_c Molecular-Based Magnets: A Ferromagnetic Bimetallic Chromium(III)Nickel(II) Cyanide with $T_c = 90$ K" Gadet, V.; Mallah, T.; Castro, I.; Verdaguer, M. *J. Am. Chem. Soc.* **1992**, *114*, 9213-9214. (h) "High- T_c Molecular-Based Magnets: Ferrimagnetic Mixed-Valence Chromium(III)-Chromium(II) Cyanides with T_c at 240 and 190 Kelvin" Mallah, T.; Thiébaud, S.; Verdaguer, M.; Veillet, P. *Science* **1993**, *262*, 1554-1557. (i) "Hexacyanometalates-Based Magnets with T_c Up to Room Temperature" Verdaguer, M.; Mallah, T.; Ferlay, S.; Heláry; L'Hermite, F. *Fourth International Conference on Molecule-Based Magnets* Salt Lake City, UT, 16-21 October **1994**. (j) "New Three-Dimensional Ferrimagnetic Materials: $\text{K}_2\text{Mn}[\text{Mn}(\text{CN})_6]$, $\text{Mn}_3[\text{Mn}(\text{CN})_6]_2 \cdot 12\text{H}_2\text{O}$, and $\text{CsMn}[\text{Mn}(\text{CN})_6] \cdot 1/2\text{H}_2\text{O}$ " Entley, W. R.; Girolami, G. S. *Inorg. Chem.* **1994**, *33*, 5165-5166. (k) "High-Temperature Molecular Magnets Based on Cyanovanadate Building Blocks: Spontaneous Magnetization at 230 K" Entley, W. R.; Girolami, G. S. *Science*, **1995**, *268*, 397-400. (l) "A Room-Temperature Organometallic Magnet Based on Prussian Blue" Ferlay, S.; Mallah, T.; Ouahes, R.; Veillet, P.; Verdaguer, M. *Nature*, **1995**, *378*, 701. (m) "Molecular Electronics Emerges from Molecular Magnetism." Verdaguer, M., *Science*, **1996**, *272*, 698. (n) "Theoretical Study of High- T_c Molecular-Based Cyanide Magnets." Siberchicot, B.; Mallah, T.; Verdaguer, M. *J. of Mag. and Mag. Mat.*, **1996**, *158*, 417. (o) "Characterization of Chemical Bonds in Bimetallic Cyanides Using X-ray Absorption Spectroscopy at L_{2,3} Edges." Arrio, M.-A., Saintavit, Ph., Cartier dit Moulin, Ch., Mallah, T., Verdaguer, Pellegrin, E., and Chen, C. T., *J. Am. Chem. Soc.*, **1996**, *118*, 6422-6427. (p) "Electrochemical Syntheses and Electrochromic Properties of Chromium Cyanide Magnetic Thin Films." Sato, O. Gu, Z., Etoh, H., Ichiyangi, J., Iyoda, T., Fujishima, A., and Hashimoto, K., *Chem. Lett.* **1997**, *37*. (q) " $\text{Mn}^{\text{II}}[\text{Mn}^{\text{II}}(\text{CN})_4]$ - a Magnetic Interpenetrating Three-Dimensional Diamondlike Solid" Manson, J. L., Bushmann, W. E., Miller, J. S., *Angew. Chem. Int. Ed. Engl.*, **1998**, *37*, 783. (r) "Structure and Properties of Tetracyanomanganate(II), $[\text{Mn}^{\text{II}}(\text{CN})_4]^{2-}$, the First Paramagnetic Tetrahedral Cyanometalate Complex" Bushmann, W. E.; Arif, A. M.; Miller, J. S. *Angew. Chem. Int. Ed. Engl.*, **1998**, *37*, 781. (s) " β - $\text{Mn}[\text{Fe}(\text{CN})_6]$ - Evidence for an Interpenetrating 'Double-Density' Prussian Blue Structure." Buschmann, W. E.; Miller, J. S.; *Inorg. Chem. Commun.*, **1998**, *1*, 174. (t) "New Molecular Magnets from Dyanometallate Building Blocks" Girolami, G. S.; Entley, W. R.; Treadway, C. R.; Holmes, S. M. *VIIth Int'l Conf. On Molecule-Based Magnets*, Seignosse, France, Sept. 12-17, **1998**. (u) "Reversed (negative) Magnetization for Electrochemically Deposited High- T_c Thin Films of Chromium Hexacyanide Magnets" Bushmann, W. E.; Paulson, S. C.; Wynn, C. M.; Girtu, M. A.; Epstein, A. J.; White, H. S.; Miller, J. S. *Chem. Mat.*, **1998**, *10*, 1386. (v) "Synthesis and Magnetization of New Room-Temperature Molecule-Based Magnets: Effect of Stoichiometry on Local Magnetic Structure by X-ray Magnetic Circular Dichroism" Dujardin, E.; Ferlay, S.; Phan, X.; Desplanches, C.; Cartier dit Moulin, C.; Saintavit, P.; Baudalet, F.; Dartyge, E.; Veillet, P.; Verdaguer, M. *J. Am. Chem. Soc.*, **1998**, *120*, 11347-11352. (w) "A Chromium-Vanadyl Ferrimagnetic Molecule-based Magnet: Structure, Magnetism, and Orbital Interpretation" Ferlay, S.; Mallah, T.; Ouahès, R.; Veillet, P.; Verdaguer, M. *Inorg. Chem.*, **1999**, web-page edition.

O. CYANIDE MAGNETIC REFERENCES - NON-PRUSSIAN BLUE

40. (a) "A New Bimetallic Ferromagnet $[\text{Ni}(\text{en})_2]_3[\text{Fe}(\text{CN})_6]_2 \cdot 2\text{H}_2\text{O}$, with a Rare Rope-Ladder Chain Structure" Ohba, M.; Maruono, N.; Okawa, H.; Enoki, T.; Latour, J.-M. *J. Am. Chem. Soc.*, **1994**, *116*, 11566-11567. (b) "Magnetism and Dimensionality in Bimetallic Cyanide-Bridged Systems" Mallah, T.; Ferlay, S.; Auberger, C.; Vaissermann, J.; Verdaguer, M.; Veillet, P. *NATO ASI Localized and itinerant Molecular Magnetism: From Molecular Assemblies to the Devices*. Puerto de la Cruz, Tenerife, Spain, April 23- May 3, **1995**. (c) "The Two-Dimensional Network Structure and Metamagnetic Properties of the 2:1 Complex of $[\text{Mn}(3\text{-MeOsalen})(\text{H}_2\text{O})]\text{ClO}_4$ and $\text{K}_3[\text{Fe}(\text{CN})_6]$ " Miyasaka, H.; Matsumoto, N.; Okawa, H.; Re, N.; Gallo, E.; Floriani, C. *Angew. Chem. Int. Ed. Engl.* **1995**, *34*, 1446-1448. (d) "A Two-Dimensional Bimetallic Assembly, $[\text{Ni}(\text{pn})_2]_2[\text{Fe}(\text{CN})_6][\text{ClO}_4 \cdot 2\text{H}_2\text{O}]$, With a Square Structure" Ohba, M.; Okawa, H.; Ito, T.; Ohto, A. *J. Chem. Soc. Chem. Commun.*, **1995**, 1545-1546. (e) "A

Three-Dimensional Molecular Ferrimagnet Based on Ferricyanide and $[\text{Ni}(\text{tren})]^{2+}$ Building Blocks." Salah El Fallah, M.; Rentschler, E.; Caneschi, A.; Sessoli, R.; Gatteschi, D. *Angew. Chem. Int. Ed. Engl.*, **1996**, *35*, 1947. (f) "A Chromium(III) Nickel(II) Cyanide-Bridged Ferromagnetic Layered Structure with Corrugated Sheets" Ferlay, S.; Mallah, T.; Vaissermann, J.; Bartolomé, F.; Veillet, P.; Verdaguer, M. *Chem. Commun.*, **1996**, 2481. (g) "Magnetic Properties of a One-Dimensional Ferromagnet Containing a Mn(III)-NC-Fe(III) Linkage: Synthesis and Crystal Structure of a Chainlike $[\text{Mn}(\text{acacen})\text{Fe}(\text{N})_6]_n^{2n-}$ Polyanion" Nazzareno, R.; Gallo, E.; Floriani, C.; Miyasaka, H.; Matsumoto, N. *Inorg. Chem.*, **1996**, 6004-6008. (h) "A Trinuclear Nickel (II) Complex Based on Bridging Oxalate and Cyanide Ligands" Muga, I.; Gutiérrez, J. M.; Luque, A.; Román, P.; Lloret, F. *Inorg. Chem.*, **1997**, *36*, 743-745. (i) "Bimetallic Magnetic Material $[\text{Ni}(\text{diamine})_2]_2\text{-}[\text{Fe}(\text{CN})_6]\text{X}$ with Two-Dimensional Network Extended by Fe(III)-CN-Ni(II) Linkages" Ohba, M., Ôkawa, H., Fukita, N., and Hashimoto, Y., *J. Am. Chem. Soc.*, **1997**, *119*, 1011. (j) "Assembling Bi-, Tri- and Pentanuclear Complexes into Extended Structures Using a Desolvation Reaction: Synthesis, Structure, and Magnetic Properties of Manganese(III)-Schiff-Base-Hexacyanoferrate Polymeric Compounds and Their Derived Extended Structures" Miyasaka, H.; Ieda, H.; Matsumoto, N.; Re, N.; Crescenzi, R.; Floriani, C. *Inorg. Chem.*, **1998**, *37*, 255.

P. DCNQI REFERENCES

8. (a) "A Radical Anion Salt of 2,5-Dimethyl-*N, N'*-dicyanoquinonediimine with Extremely High Electrical Conductivity" Aumüller, A.; Erk, P.; Klebe, G.; Hünig, S.; von Schütz, J.; Werner, H. *Angew. Chem. Int. Ed. Engl.*, **1986**, *25*, 740-741. (b) "A New Class of Compounds with High Electrical Conductivity" Aumüller, A.; Erk, P.; Hünig, S. *Mol. Cryst. Liq. Cryst. Inc. Nonlin. Opt.*, **1988**, *156*, 215-221. (c) "Binary Alloys of 2,5-Disubstituted DCNQI Radical Anion Salts of Copper and Their Electrical Conductivity" Erk, P.; Gross, H.-J.; Hünig, U. L.; Meixner, H.; Werner, H.-P.; von Schütz, J. U.; Wolf, H. C. *Angew. Chem. Int. Ed. Engl.*, **1989**, *28*, 1245-1246. (d) "Crystal and Electronic Structures of Conductive Anion-Radical Salts, $(2,5\text{-R}_1\text{R}_2\text{-DCNQI})_2\text{Cu}$ (DCNQI = *N, N'*-Dicyanoquinonediimine; $\text{R}_1, \text{R}_2 = \text{CH}_3, \text{CH}_3\text{O}, \text{Cl}, \text{Br}$)" Kato, R.; Kobayashi, H.; Kobayashi, A. *J. Am. Chem. Soc.*, **1989**, *111*, 5224-5232. (e) "Spectroscopic Investigation of $(2,5\text{-DM-DCNQI})_2\text{M}$ Materials in Bulk and Thin Film Forms" Kamitsos, E. I.; Chryssikos, G. D.; Gionis, V. in *Lower-Dimensional Systems and Molecular Electronics*, Ed., Metzger, R. M., Plenum Press, New York, **1991**, 197-204. (f) "Solvent Dependence of Metal-Metal Coupling in a Dinuclear Pentaamineruthenium Complex Incorporating the Bridging Ligand 1,4-Dicyanamido-2,5-dimethylbenzene Dianion" Naklicki, M. L.; Crutchley, R. J. *J. Am. Chem. Soc.*, **1994**, *116*, 6045-6046.

Q. TCNE MAGNETS

(b) "Tetracyanoethylene-Based Organic Magnets" Miller, J. S.; Epstein, A. J. *Chem. Commun.*, **1998**, 1319. (c) "Isolation and Structural Determination of octacyanobutanediide, $[\text{C}_4(\text{CN})_8]^{2-}$; precursors to $\text{M}(\text{TCNE})_x$ Magnets" Zhang, J.; Liable-Sands, L. M.; Rheingold, A. L.; Del Sesto, R. E.; Gordon, D. C.; Burkhart, B. M.; Miller, J. S. *Chem. Commun.* **1998**, 1385. (d) " $[\text{M}^{\text{II}}(\text{tcne})_2 \cdot x\text{CH}_2\text{Cl}_2$ ($\text{M} = \text{Mn}, \text{Fe}, \text{Co}, \text{Ni}$) Molecule-Based Magnets with T_c Values Above 100K and Coercive Fields up to 6500 Oe" Zhang, J.; Ensling, J.; Ksenofontov, V.; Gütlich, P.; Epstein, A. J.; Miller, J. S. *Angew. Chem. Int. Ed.*, **1998**, *37*, 637. (e) "Reentrance in the $\text{Mn}(\text{tetracyanoethylene})_x \cdot y(\text{CH}_2\text{Cl}_2)$ high T_c molecule-based ferrimagnet" *Phys. Rev. B-Cond. Matt.*, **1998**, *58*, 8508.

R. For electronic and magnetic coupling mediated by polynitrile bridges see for example:

- (a) "Tetranuclear Mixed-Valence Manganese Complexes with reduce TCNE or TCNQ as η^4 -Bridging Ligands" Gross, R.; Kaim, W. *Angew. Chem. Int. Ed. Engl.*, **1987**, *26*, 251-253. (b) "Effects on the Frequency and Intensity of the Stretching Vibration of the Nitrile Group on Ligation to Metal Ions" Johnson, A.; Taube, H. *J. Indian Chem. Soc.*, **1989**, *66*, 503-511. (c) "Electron

Delocalization in Molecule-Bridged Polymetallic Systems. Unique Neutral Complexes of TCNE or TCNQ and up to Four Organometallic Fragments (C₅R₅)(CO)₂Mn" Gross-Lannert, R.; Kaim, W.; Olbrich-Deussner, B. *Inorg. Chem.*, **1990**, *29*, 5046-5053. (d) "The Coordination Chemistry of TCNE, TCNQ and Related Polynitrile π -Acceptors" Kaim, W.; Moscherosch, M. *Coord. Chem. Rev.*, **1994**, *129*, 157-193. (e) "N-Bonded TCNQ in Stacked Dimeric Systems. Synthesis and Crystal Structure of [Ru(PPh₃)₂(TCNQ)]₂ (TCNQ = 7,7,8,8-tetracyanoquinodimethane)" Ballester, L.; Barral, M.; Gutiérrez, A.; Jiménez-Aparicio, R.; Martínez-Muyo, J.; Perpiñan, M.; Monge, M.; Ruiz-Valero, C. *J. Chem. Soc. Chem. Commun.*, **1991**, 1396-1397.

For electronic coupling mediated by cis or trans-cyano bridges see for example:

(f) Balzani, V.; Scandola, F. *Supramolecular Photochemistry* Ellis Horwood: Chichester, U. K., **1991**. (g) O'Regan, B.; Grätzel, M. *Nature* **1991**, *353*, 737. (h) "Long-Range Energy Transfer in Oligomeric Metal Complex Assemblies" Bignozzi, C. A.; Argazzi, R.; Garcia, C. G.; Scandola, F.; Schoonover, J. R.; Meyer, T. J. *J. Am. Chem. Soc.*, **1992**, *114*, 8727. (i) "Excited-State Charge Recombination in a Ru(II)-Cr(III) Polynuclear Complex" Indelli, M. T.; Scandola, F. *J. Phys. Chem.*, **1993**, *97*, 3328-3332. (j) "Optical and Thermal Charge-Transfer processes Occurring in a Series of Three-Centered, Cyanide-Bridged Intervalent Charge-Transfer Complexes" Pfennig, B. W.; Bocarsly, A. B. *J. Phys. Chem.*, **1992**, *96*, 226. (j) "Cyano-Bridged Complexes of *trans*-tetrakis(pyridine)ruthenium(II)" Coe, B. J.; Meyer, T. J.; White, P. S. *Inorg. Chem.*, **1995**, *34*, 3600-3609. (k) "Synthesis, Redox Chemistry, and Mixed-Valence Phenomena of Cyanide-Bridged Dinuclear Organometallic Complexes" Zhu, N.; Vahrenkamp, H. *Chem. Ber./Recueil* **1997**, *130*, 1241-1252.

- S. "Spectroscopic and Structural Investigation of the Unbridged Dirhodium Cation [Rh₂(CH₃CN)₁₀]⁴⁺" K. R. Dunbar, *J. Am. Chem. Soc.* **1988**, *110*, 8247. (b) "Decakisacetonitrileirrhodium Tetrakis tetrafluoroborate" Dunbar, K. R.; Pence, L. E. *Inorg. Chem.*, **1991**, *30*, 2018. (c) "Acetonitrile and Cyanide Compounds Containing Metal-Metal Bonds: Syntheses, Structures and Applications to Solid-State Chemistry" Bartley, S. L.; Bernstein, S. N.; Dunbar, K. R. *Inorg. Chim. Acta* **1993**, *213*, 213-231. (d) "New Applications of Weak Donor Atoms to Coordination, Organometallic and Materials Chemistry" Dunbar, K. R. *Comments Inorg. Chem.*, **1992**, *13*, 313-357. (e) "Incorporation of Quadruply-Bonded Units into Solid-State Materials" Dunbar, K. R. *J. Cluster Science*, **1994**, *5*, 125-144. (f) "Acetonitrile Complexes of Diiridium (II,II): Part I. Isolation and Characterization of the Partially Solvated Cations [Ir₂(COD)(μ -form)₂(MeCN)₃]²⁺ and [Ir₂(μ -form)₂(MeCN)₆]²⁺ (COD = 1,5-cyclooctadiene, form = *N,N'*-di-*p*-tolylformamidinate)" Dunbar, K. R.; Majors, S. O.; Sun, J.-S. *Inorg. Chim. Acta. F. A. Cotton Special Issue*, **1995**, *229*, 373.

T. BINARY TCNQ COMPOUNDS KNOWN TO DATE:

(a) "Substituted Quinodimethans. II. Anion-radical Derivatives and Complexes of 7,7,8,8-Tetracyanoquinodimethane" Melby, L. R.; Harder, R. J.; Hertler, W. R.; Mahler, W.; Benson, R. E.; Mochel, W. E. *J. Am. Chem. Soc.*, **1962**, *84*, 3374-3387. (b) "Mossbauer Study of Iron(II) 7,7,8,8-Tetracyanoquino-dimethane trihydrate: Fe(TCNQ)₂ · 3H₂O" Chain, E. E.; Kevill, D. N.; Kimball, C. W.; Weber, L. W. *J. Phys. Chem. Solids*, **1976**, *37*, 817-818. (c) "Electrocrystallized Metal-Tetracyanoquinodimethane Salts with High Electrical Conductivity" Kathirgamanathan, P.; Rosseinsky, D. R. *J. C. S. Chem. Commun.* **1980**, 839-840. (d) "Some Magnetic Properties of Mn(TCNQ)₂" Thompson, R. C.; Hoyano, Y.; Schwerdtfeger, C. F. *Solid State Commun.* **1977**, *23*, 633. (e) "Magnetic and Electric Properties of Mn(TCNQ)₂ and Its Hydrates" *Phys. Stat. Sol.*, **1979**, *53*, 181. (f) "Transition Metal Derivatives of the Tetracyanoquinodimethandiide Ion, TCNQ²⁻" Siedle, A. R.; Candela, G. A.; Finnegan, T. F. *Inorg. Chim. Acta* **1979**, *35*, 125-130. (g) "Electrochemical Synthesis, Characterization and Magnetic Studies of Ni/TCNQ" Long, G.; Willett, R. D., submitted.

U. SIGMA-DIMERS OF TCNQ

(a) "Dimerization of 7,7,8,8-Tetracyanoquinodimethane (TCNQ) Radical Anions via σ -Bond Formation: Crystal Structure and EPR Properties of Bis(dipyridyl)platinum(II)-[Pt(2,2'-

dipy) $_2^{2+}$ (TCNQ) $_2^{2-}$]" Dong, V.; Endres, H.; Keller, H. J.; Moroni, W.; Nöthe, D. *Acta Cryst.*, **1977**, *B33*, 2428-2431. (b) "The Crystal Structure of the Charge-Transfer Complex between N-Ethylphenazinium (EtP) and Dimerized 7,7,8,8-Tetracyanoquinodimethane (TCNQ) Ions, (C₁₄H₁₃N₂)₂·C₂₄H₈N₈" Morosin, B.; Plastas, H. J.; Coleman, L. B.; Stewart, J. M. *Acta Cryst.*, **1978**, *B34*, 540-543. (b) "Triplet Spin Excitons in a Sigma-Bonded TCNQ Dimer Salt: N-Ethylphenazinium TCNQ, (NEP⁺)₂(TCNQ⁻ - TCNQ⁻)" Harms, R. H.; Keller, H. J.; Nöthe, D.; Werner, M. *Mol. Cryst. Liq. Cryst.*, **1981**, *65*, 179-196. (d) "Crystal Structure and Excited Triplet-State Electron Paramagnetic Resonance of the σ -Bonded TCNQ Dimer in Bis(2,9-dimethyl-1,10-phenanthroline)copper(I) Tetracyanoquinodimethane, [Cu(DMP)₂]₂-TCNQ]₂" Hoffmann, S. K.; Corvan, P. J.; Singh, P.; Sethulekshmi, C. N.; Metzger, R. M.; Hatfield, W. E., *J. Am. Chem. Soc.*, **1983**, *105*, 4608-4617. (e) "Diamagnetic to Paramagnetic Transition in Trisdimethylaminocyclopropenium Tetracyanoquinodimethane (TDAC-TCNQ)." Radhakrishnan, T. P.; Van Engen, D.; Soos, Z. G. *Mol. Cryst. Liq. Cryst.*, **1987**, *150b*, 473-492.

V. Cu(TCNQ)

(a) "Electrical Switching and Memory Phenomena in Cu-TCNQ Thin Films" Potember, R. S.; Poehler, T. O.; Cowan, D. O.; *Appl. Phys. Lett.*, **1979**, *34*, 405. (b) Potember, R. S.; Poehler, T. O.; Cowan, D. O.; Carter, F. L.; Brant, P. in *Molecular Electronic Devices II*; Carter, F. L. Ed. Marcel Dekker; New York, **1982**, 91. (c) "Raman Studies in CuTCNQ: Resonance Raman Spectral Observations and Calculations for TCNQ Ion Radicals" Kamitsos, E. I.; Risen, W. M., *J. Chem. Phys.* **1983**, *79*, 5808. (d) "Optically Induced Transformations of Metal TCNQ Materials" Kamitsos, E. I.; Risen, W. M., *Solid State Commun.* **1983**, *45*, 165-169. (e) "Characterization of Cu-CuTCNQ-M Devices using Scanning Electron Microscopy and Scanning Tunneling Microscopy" Hoagland, J. J.; Wang X. D.; Hipps, K. W. *Chem. Mater.* **1993**, *5*, 54. (f) "Characterisation and Electrical Property of Molten-Grown CuTCNQ Film Material" Liu, S.-G.; Liu, Y.-Q.; Wu, P.-J.; Zhu, D.-B.; Tian, H.; Chen, K.-C. *Thin Film Solids*, **1996**, *289*, 300-305.

W. SIGMA BONDED TCNQ

(a) "Crystal Structure of AgTCNQ and Contrasting Magnetic Properties of Electrochemically Synthesized AgTCNQ and CuTCNQ (7,7,8,8-Tetracyanoquinodimethane)" Shields, L. *J. Chem. Soc. Faraday Trans. 2*, **1985**, *81*, 1-9. (b) "Synthesis, Crystal Structure and Solid-State Physical Properties of Compounds with Exchange Coupled Binuclear Cations and 7,7',8,8'-Tetracyanoquinodimethane" Lacroix, P.; Kahn, O.; Gliezes, A.; Valade, L.; Cassoux, P. *Nouv. J. de Chimie*, **1985**, 643-651. (c) "Electrically Conducting TCNQ Derivatives of Copper Sulphur/Nitrogen Chelates; Structure of a Novel Semiconducting Complex [Cu(pdto)(TCNQ)]₂ which contains N-bonded TCNQ (pdto = 1,8-di-2-pyridyl-3,6-dithiaoctane; TCNQ = 7,7,8,8-tetracyanoquinodimethane)" Humphrey, D. G.; Fallon, G. D.; Murray, K. S. *J. Chem. Soc. Chem. Commun.*, **1988**, 1356-1358. (d) "[{Re₂Cl₄(dppm)₂]₂(μ^2 -TCNQ)], a Novel Charge Transfer Complex Derived from a Donor with a Metal-Metal Multiple Bond" S. L. Bartley and K. R. Dunbar, *Angew. Chem.*, **1991**, *103*, 447; *Angew. Chem. Int. Ed. Eng.* **1991**, *30*, 448. (e) "N-Bonded TCNQ in Stacked Dimeric Systems. Synthesis and Crystal Structure of [Ru(PPh₃)₂(TCNQ)]₂ (TCNQ = 7,7,8,8-tetracyanoquinodimethane)" Ballester, L.; Barral, M.; Gutiérrez, A.; Jiménez-Aparicio, R.; Martínez-Muyo, J.; Perpiñan, M.; Monge, M.; Ruiz-Valero, C. *J. Chem. Soc. Chem. Commun.* **1991**, 1396-1397. (f) "Synthesis and Properties of Isostructural Transition-Metal (Copper, Nickel, Cobalt, and Iron) Compounds with 7,7',8,8'-Tetracyano-quinodimethane(1⁻) in an Unusual Monodentate Coordination Mode. Crystal Structure of Bis(3,5-bis(pyridin-2-yl)-4-amino-1,2,4-thiazole)bis(7,7',8,8'-tetracyanoquinodimethano)copper(II)" Cornelissen, J.P.; van Diemen, J. H.; Groeneveld, L. R.; Haasnoot, J. G.; Spek, A. L.; Reedijk, J. *Inorg. Chem.*, **1992**, *31*, 198-202. (g) "A Weak Antiferromagnetic Interaction between Mn²⁺ Centers through a TCNQ Column: Crystal Structures and Magnetic Properties of [Mn^{II}(tpa)(TCNQ)(CH₃OH)](TCNQ)₂·CH₃CN, [Mn^{II}(tpa)(μ -O₂CCH₃)]₂-(TCNQ)₂·2CH₃CN and [Mn^{II}(tpa)(NCS)₂]-CH₃CN (tpa = Tris(2-pyridylmethyl)amine)" Oshio, H.; Ino, E.; Mogi, I.; Ito, T. *Inorg. Chem.*, **1993**, *32*, 5697-5703. (g)

"Tetracyanoquinodimethane Derivatives of Macrocyclic Nickel(II) Complexes. Synthesis and Crystal Structure of Bis(7,7,8,8-tetracyanoquinodimethanido)(1,8-bis(2-hydroxyethyl)-1,3,6,8,10,13-hexaazacyclotetra decane)nickel(II)" Ballester, L.; Barral, M.; Gutiérrez, A.; Monge, A.; Perpiñan, M. F.; Ruiz-Valero, C.; Sánchez-Pélaez, A. *Inorg. Chem.* **1994**, *33*, 2142-2146. 18. (h) "Paramagnetic Transition Metal Complexes with σ -Bonded Tetracyanoethylene (TCNE)" Dunbar, K. R.; Ouyang, X. *Molecular Crystals Liquid Crystals*, **1995**, *273*, 21-28. (i) "Organocyanide Acceptor Molecules as Novel Ligands" Dunbar, K. R. *Angew Chem.*, **1996**, *35*, 1659. (j) "Design, Synthesis and Processing of Molecular Organic and Inorganic Magnetic Materials" Decurtins, S.; Dunbar, K. R.; Gomez-Garcia, C. J.; Mallah, T.; Raptis, R. G.; Talham, D.; Veciana, J. in *Molecular Magnetism: From Molecular Assemblies to the Devices*. (Eds: E. Coronado, P. Delhaès, D. Gatteschi, J. S. Miller) NATO ASI Series, Kluwer, **1996**, *E321*, 571-582. (k) "A Novel Structure Involving One-Dimensional μ^4 -TCNQ and Xylene Adducts of a Quadruply-Bonded Dimolybdenum Compound (TCNQ = 7,7,8,8-tetracyanoquinodimethane)" Dunbar, K. R.; Ouyang, X. *Chem. Commun.*, **1996**, 2427. (l) "Unprecedented Two-Dimensional Polymers of Mn(II) with TCNQ $^{\cdot-}$ (TCNQ = 7,7,8,8-tetracyanoquinodimethane)" Zhao, H.; Heintz, R. A.; Rogers, R. D.; Dunbar, K. R. *J. Am. Chem. Soc.*, **1996**, *118*, 12844. (m) "Magnetic and Optical Characterization of One-Dimensional Isostructural σ -Bonded Tetracyanoquinodiethanido Complexes of Ni(II) and Copper (II)" Azcondo, M.T.; Ballester, L.; Gutiérrez, A.; Perpiñan, F.; Amador, U.; Ruiz-Valero, C.; Bellitto, C. *J. Chem. Soc., Dalton Trans.*, **1996**, 3015. (n) "Insight into the Behavior of M(TCNQ) $_n$ (n = 1, 2) Crystalline Solids and Films: X-ray, Magnetic and Conducting Properties" Dunbar, K. R.; Cowen, J.; Zhao, H.; Heintz, R. A.; Ouyang X.; Grandinetti, G. *NATO ASI: Supramolecular Engineering of Synthetic Metallic Materials: Conductors and Magnets*, Ed: J. Veciana, Kluwer: Dordrecht, **1998**, *518*, 353. (o) "New Insights into the Nature of Cu(TCNQ): Preparation, Magnetic and Electrical Properties of Two Distinct Polymorphs and Their Relationship to Crystalline Films that Display Bistable Switching Behavior" Heintz, R. A.; Zhao, H.; Ouyang, X.; Grandinetti, G.; Cowen J.; Dunbar, K. R. *Inorg. Chem.*, **1999**, *38*, 0000. (p) "Spectroscopic, Thermal and Magnetic Properties of Metal/TCNQ Network Polymers with Extensive Supramolecular Interactions Between Layers" Zhao, H.; Heintz, R. A. ; Ouyang, X.; Campana, C. F.; Rogers, R. D.; Dunbar, K. R. *Chem. of Materials*, **1999**, in press.

X. SIGMA BONDED TCNE

(a) "Intra- and Inter-Molecular Stacking in Tetracyanoethylene (tcne) Complexes of Platinum Metal DithioAcids: The Structures and Electrochemistry of [Os(S $_2$ PR $_2$) $_2$ (PPh $_3$)(tcne)] (R = Me, Ph)" McQueen, A. E. D.; Blake, A. J.; Stephenson, T. A.; Schröder, M.; Yellowlees, L. J. *J. Chem. Soc. Chem. Commun.*, **1988**, 1533-1535. (b) "Synthese von Cp(CO) $_2$ MnTCNE aus [Cp(CO) $_2$ MnXPh] $_n$ (X = S, Se, Te; n = 1,2); Festkörperstruktur und Magnetismus" Braunwarth, H.; Huttner, G.; Zsolnai, L. *J. Organo. Met. Chem.*, **1989**, *372*, C23-C28. (c) "Molecular and Crystal Structure of a μ^2 -[TCNE] $_2$ $^{\cdot-}$ Complex: [(Ph $_3$ P) $_2$ (OC)Ir] $_2$ [TCNE]" Yee, G. T.; Calabrese, J. C.; Vazquez, C.; Miller, J.S. *Inorg. Chem.* **1993**, *32*, 377-378. (d) "Bound and Non-bound Tetracyanoethylene Radical Anion (TCNE $^{\cdot-}$) in Copper(I) Triphenylphosphine Complexes. The Crystal Structures of Cu(TCNE)(PPh $_3$) $_3$, [(CN)Cu(PPh $_3$) $_2$ (TCNE)Cu(PPh $_3$) $_2$] $_n$ and [(PPh $_3$) $_3$ Cu(CN-Cu(PPh $_3$) $_3$)[TCNE]" Olmstead, M. M.; Speier, G.; Szabó, L. *J. Chem. Soc. Chem. Commun.* **1994**, 541-543. (e) "meso-(Tetraphenylporphinato)manganese(III)tetracyanoethenide, [Mn III TPP][TCNE] A New Structure-Type Linear-Chain Magnet with a T $_c$ of 18 K" Miller, J. S.; Calabrese, J. C.; McLean, R. S.; Epstein, A. J. *Adv. Mater.* **1992**, *4*, 498-501. (f) "Cooperative Magnetic Behavior of α - and β -Manganese(III) Phthalocyanine Tetracyanoethenide (1:1), [Mn III Pc][TCNE]" Miller, J. S.; Vazquez, Calabrese, J. C.; McLean, R. S.; Epstein, A. J. *Adv. Mater.*, **1994**, *6*, 217-221. (g) Bunn, A. G.; Carroll, P. J.; Wayland, B. *Inorg. Chem.*, **1992**, *31*, 1297. (h) "A Two-dimensional Polymer Formed by TCNE and Dirhodium Tetra(trifluoroacetate)" Cotton, F. A.; Kim, Y. *J. Am. Chem. Soc.* **1993**, *115*, 8511. (i) "[Rh $_2$ (O $_2$ CCH $_3$) $_4$ TCNE] $_x$ polymers: Isomers with either 1,1- or *trans*-1,2-TCNE bridges" Cotton, F. A.; Kim, Y.; Lu, J. *Inorg. Chim. Acta* **1994**, *221*, 1-4. (j) "Paramagnetic Transition Metal Complexes with σ -Bonded Tetracyanoethylene (TCNE)" Dunbar, K. R.; Ouyang, X. *Proc. Conf. on Ferromagnetic and High Spin Molecular Based Materials*, (Eds: Miller, J. S.; Epstein, A. J.) *Mol. Cryst. Liq. Cryst.*, **1995**, *273*, 21-28.

Y. ACETONITRILE PRECURSORS

- (a) "The Preparation and Properties of Some Bivalent Transition-Metal Tetrafluoroborate-Methyl Cyanide Complexes" Hathaway, B. J.; Holah, D. G.; Underhill, A. E. *J. Chem. Soc.* 1962, 2444. (b) "Complexes with Ligands Containing Nitrile Groups. Part IV. Systems of Di- and Tri-Valent Metal Chlorides with Antimony Pentachloride in Methyl Cyanide" Zuur, A. P.; van Houte, J. J.; Groeneveld, W. L. *Recl. Trav. Chim. Pays-Bus. Part IV* 1968, 87, 755-758. (c) "Direct Electrochemical Synthesis of Cationic Complexes" Habeeb, J. J.; Said, F. F.; Tuck, D. G. *J. Chem. Soc. Dalton Trans.*, 1981, 118-120. (d) "Nitrogen-14 Magnetic Resonance Studies of the Effect of Pressure and Temperature on the Rate of Exchange of Acetonitrile Solvent on Iron (II) and Manganese (II) Perchlorates" Sisley, M. J.; Yano, Y.; Swaddle, T. W. *Inorg. Chem.* 1982, 21, 1141-1145. (e) "The Crystal Structure of Some Hexakis(methyl cyanide)metal(II) Tetrachlorometallates(III), $M^{II}(NCCH_3)_6[M^{III}Cl_4]_2$ " Stork-Blaisse, B. A.; Verschoor, G. C.; Romers, C. *Acta Cryst.* 1972, B28, 2445. (f) "1,2-Bis(Dimethyl)Phosphinoethane Complexes of Molybdenum and Vanadium. X-ray Crystal Structure of *trans*-[MoCl(η^2 -NCMe)(dmpe)₂]BPh₄, *trans*-[Mo(SPh)₂(dmpe)₂], *trans*-[V(NCMe)₂(dmpe)₂(BPh₄)₂], *trans*-[V(CNBut)₂(dmpe)₂](PF₆)₂" Anderson, S. J.; Wells, F. J.; Wilkinson, G.; Hussain, B.; Hursthouse, M. B. *Polyhedron*, 1988, 7, 2615-2626. (g) "24. Acetonitrile Complexes of Selected Transition Metal Cations" Thomas, R. R.; Sen, A.; and Beck, W.; Leidl, R. *Inorg. Synth.* 1989, 26, 128-134. (h) "Decakis(Acetonitrile) Dirhodium(II) Tetrafluoroborate" Dunbar, K. R.; Pence, L. E. *Inorg. Synth.* 1992, 29, 182-185. (i) "Synthesis and Characterization of Octakis(acetonitrile)dimolybdenum(II) Tetrafluoroborate" Cotton, F. A.; Wiesinger, K. J. *Inorg. Chem.* 1991, 30, 871-873. (j) "Catalytic Dimerization of Olefins by a Cationic Platinum(II) Complex" de Renzi, A.; Panunzi, A.; Vitagliano, A. *J. Chem. Soc. Chem. Commun.* 1976, 47. (k) A Stable Solvated Cation Derived "Novel Strategies for the Synthesis and Crystallization of Electrophilic Dinuclear Cations: Solution and Solid-State Properties of [Re₂(NCCH₃)₁₀][Mo₆O₁₉]₂" Bernstein, S. N.; Dunbar, K. R. *Angew. Chem. Int. Ed. Eng.* 1992, 31, 1360. (l) Dunbar, K. R.; Finniss, G. M.; Majors, S. O., unpublished results. (m) "Metal-Metal Multiply-Bonded Complexes of Technetium. 2. Preparation and Characterization of the Fully Solvated Ditechnetium Cation [Tc₂(CH₃CN)₁₀]⁴⁺" Burns, C. J.; Cotton, F. A.; Haefner, S. C.; Sattelberger, A. P. *Inorg. Chem.* 1995, 34, 1875-1883. (o) "Sources of Naked Divalent First-Row metals Ions: Synthesis and Characterization of [M^{II}(NCMe)₆]²⁺ (M = V, Cr, Mn, Fe, Co, Ni) Salts of tetrakis[3,5-bis(trifluoromethyl)phenyl]Borate" Buschmann, W. E.; Miller, J. S. *Chem.-A European Journal*, 1998, 4, 1731-1737. (p) "Homoleptic Transition Metal Acetonitrile Cations with Tetrafluoroborate or Trifluoromethanesulfonate Anions" Heintz, R. A.; Smith, J. A.; Szalay, P. S.; Weisgerber, A.; Dunbar, K. R. *Inorg. Synth.*, submitted.
- Z. 22. (a) "*N,N'*-Dicyanoquinonediimines - A New Class of Compounds, I: Synthesis and General Properties" Aumüller, A.; Hünig, S. *Liebigs Ann. Chem.* 1986, 142-164. (b) "*N,N'*Dicyanoquinonediimines - A New Class of Compounds, II: Comparison of Redox Properties with those of Quinones and Tetracyanoquino-dimethanes" *Liebigs Ann. Chem.* 1986, 165-176.
- AA.23.(a) "Substituted Quinodimethans. VII. Substituent and Structural Effects in Cyano-Substituted Quinodimethans" Diekmann, J.; Hertler, W. R.; Benson, R. E. *J. Org. Chem.* 1963, 28, 2719-2724. (b) "11,11,12,12-Tetracyano-2,6,anthraquinodimethane (TANT) as a Novel Extensive Electron Acceptor" Yanagimoto, T.; Takimiya, K.; Otsubo, T.; Ogura, F. *J. Chem. Soc. Chem. Commun.* 1993, 519-520.
- B.B. 24. *IR Spectroscopy of Nitriles and Polynitrile π -Acceptors:*
- (a) "Tetranuclear Pentaamineruthenium Complexes Bridged by π -Conjugated Tetracyano Ligands Related to TCNE: Syntheses and Spectroscopy of Different Oxidation States" Moscherosch, M.; Waldhor, E.; Binder, H.; Kaim, W.; Fiedler, J. *Inorg. Chem.*, 1995, 34, 4326-4335. (b) Nujol mulls, KBr performed in our laboratories; (Bu₄N)TCNQ and Li(DM-DCNQI). (c) "Tetracyanoethylene Anion as a Hard σ Base. Synthesis and Structure of the 1:1 Adduct of Tetracyanoethylene and Bis(π -cyclopentadienyl)vanadium Monobromide" Rettig, M. F.; Wing,

R. M. *Inorg. Chem.*, **1969**, 2685-2689. (d) Effects on the Frequency and Intensity of the Stretching Vibration of the Nitrile Group on Ligation to Metal Ions" Johnson, A.; Taube, H. *J. Indian Chem. Soc.*, **1989**, 503-511. (e) "The Coordination Chemistry of TCNE, TCNQ and Related Polynitrile π Acceptors" Kaim, W.; Moscherosch, M. *Coord. Chem. Rev.*, **1994**, *129*, 157-193. (f) "Electronic and Spectral properties of Organometallic Tetracyano-p-quinodimethane (TCNQ) Salts With Metallocene Stacks" Pukacki, W.; Pawlak, M.; Graja, A.; Lequan, M.; Lequan, R. M. *Inorg. Chem.* **1987**, *26*, 1328-1331.

CC. TCNQ SALTS THAT EXHIBIT FERROMAGNETIC ORDERING

"Ferromagnetic Interaction in Organic Radical Ion Salts." Sugimoto, T.; Tsujii, M.; Murahashi, E.; Nakatsuji, H.; Yamauchi, J.; Fujita, H.; Kai, Y.; Hosoi, N., *Mol. Cryst. Liq. Cryst.*, **1993**, *232*, 117-134. (b) "1 : 2 TCNQ/TCNQ $^{\cdot-}$ Mixed Salts Exhibiting Ferromagnetic Behavior at Room Temperature" Ueda, K.; Sugimoto, T.; Endo, S.; Toyota, N.; Kohama, M.; Yamamoto, K.; Suenaga, Y.; Morimoto, H.; Yamaguchi, T.; Munakata, M.; Hosoi, N.; Kanehisa, N.; Shibamoto, Y.; Kai, Y. *Chem. Phys. Lett.* **1996**, *261*, 295-300. (c) "Ferromagnetic Behavior of 1:2 TCNQ/TCNQ $^{\cdot-}$ Mixed Salts at Room Temperature" Sugimoto, T.; Ueda, K.; Endo, S.; Toyota, N. *Mol. Cryst. Liq. Cryst.*, **1997**, *305*, 217-226. (d) "Weak-Ferromagnetism and Ferromagnetism in Tetrafluorotetracyanoquinodimethanide Salts" Sugimoto, T.; Ueda, K.; Kanehisa, N.; Kai, Y.; Shiro, M.; Hosoi, N.; Takeda, N.; Ishikawa, M. "Molecule-Based Magnetic Materials", Chapter 19, **1997**, 276-295.

E.E. Electrocrystallization reviews

(a) Ward, M. D. in "Supramolecular Architecture: Synthetic Control in Thin Films and Solids" ACS Symp. Ser. 499, Ed., Bein, T. American Chemical Society, **1992**, Ch. 17, pp. 231-243 and references therein. (b) "Electrochemical Aspects of Low-Dimensional Molecular Solids" Ward, M. D. in *Electroanalytical Chemistry* **1988**, *16*, 181-313. (c) "Electrocrystallization, an Invaluable Tool for the Construction of Ordered, Electroactive Molecular Solids" Batail, P.; Boubekeur, K.; Fourmigué, M.; Gabriel, J.-C. P. *Chem. of Mat.*, **1998**, *10*, 3005-3015.

F.F. (a) Williams, J. M.; Schultz, A. J.; Underhill, A. E.; Carneiro, K. M. in *Extended Linear Chain Compounds* Miller, J. S. Ed., Plenum Press: New York. **1982**, *1*, 73. (b) "New Linear Chain Mixed Metal Compounds: Complex Salts of [Pt(CNMe) $_4$] $^{2+}$ " Connelly, N. G.; Crossely, J. G.; Orpen, A. G. *J. Chem. Soc. Chem. Commun.*, **1992**, 1564-1567. (c) "Linear Chain Metal Compounds: [M(mnt)(CNMe) $_2$] [M = Ni, Pd, Pt; mnt = 1,2-S $_2$ C $_2$ (CN) $_2$]" Connelly, N. G.; Crossely, J. G.; Orpen, A. G. *J. Chem. Soc. Chem. Commun.*, **1992**, 1568-1571.

G.G. (a) Cotton, F. A.; Walton, R. A. "Multiple Bonds Between Metal Atoms" 2nd Ed., Clarendon Press, Oxford, **1993**. (b) "Incorporation of Quadruply-Bonded Units into Solid-State Materials" Dunbar, K. R. *J. Cluster Science* **1994**, *5*, 125-146. (c)

H.H. M-M Bonded Chemistry-electronic coupling of Mo $_2$ units through bridges/conjugation:

(a) "Multiple Bonds Between Metal Atoms in Ordered Assemblies: Liquid Crystals Containing Mo-Mo Quadruple bonds" Cayton, R. H.; Chisholm, M. H.; Darrington, F. D. *Angew. Chem. Int. Ed Engl.*, **1990**, *29*, 1481-1483. (b) "Metal-Metal Multiple Bonds in Ordered Assemblies. I. Tetranuclear Molybdenum and Tungsten Carboxylates Involving Covalently linked M-M Quadruple Bonds. Molecular Models for Subunits of One-Dimensional Stiff-Chain Polymers" Cayton, R. H.; Chisholm, M. H.; Huffman, J. C.; Lobkovsky, E. B. *J. Am. Chem. Soc.*, **1991**, *113*, 8709. (c) "Developing the Reactivity of Multiple Bonds Between Metal Atoms: Inorganic Functional Groups" Chisholm, M. H. *Pure & Appl. Chem.*, **1991**, *63*, 665-680. (d) "Covalently Linked Molybdenum-Molybdenum Quadruple Bonds. Dioxypyridazine Dianion and 2-Imidazolinethionate as Bridges Between Dimolybdenum Fragments" Cayton, R. H.; Chisholm, M. H.; Putilina, E. F.; Foltz, K. *Polyhedron*, **1993**, *12*, 2627-2633. (e) "Preparation and Electronic Characterization of M $_2$ (CCR) $_4$ (PMe $_3$) $_4$: A Class of Conjugated Transition-Metal Complexes" Stoner, T. C.; Dallinger, R. F.; Hopkins, M. D. *J. Am. Chem. Soc.*, **1990**, *112*, 5651-5653. (f) "Preparation and Characterization of 1,1-W $_2$ (CCMe) $_2$ Cl $_2$ (PMe $_3$) $_4$. Structural and Spectroscopic Manifestations of δ (MM)- π (CC) Conjugation" Stoner, T. C.; Geib, S. J.; Hopkins,

M. D. *J. Am. Chem. Soc.*, **1992**, *114*, 4201-4204. (g) "Synthesis and Structures of Extended-Chain Metal-Alkylidyne Compounds: Conjugated Polymers Composed of Alternating Organic and Transition-Metal Subunits" *J. Am. Chem. Soc.*, **1994**, *116*, 6051-6052.

I.I. 31. Bartley, S. L., Ph.D. Dissertation, Michigan State University, **1993**.

J. J. 35.(a) "Synthesis and Properties of the Divalent 1,2-Bis(dimethylphosphino)ethane (dmpe) Complexes $MCl_2(dmpe)_2$ and $MMe_2(dmpe)_2$ ($M = Ti, V, Cr, Mn, \text{ or } Fe$). X-Ray Crystal Structures of $MCl_2(dmpe)_2$ ($M = Ti, V, \text{ or } Cr$), $MnBr_2(dmpe)_2$, $TiMe_{1.3}Cl_{0.7}(dmpe)_2$, and $CrMe_2(dmpe)_2$ " Girolami, G. S.; Wilkinson, G.; Galas, A.M.R.; Thorton-Pett, M.; Hursthouse, M.B. *J. Chem. Soc.*, **1985**, 1139-1348. (b) "Synthesis and Reactions of *Trans*-Dicarbonyl Bis[1,2-Bis(Dimethylphosphino)ethane] Vanadium(0): X-ray Crystal Structures of *Trans*- $V(CO)_2(dmpe)_2$ [*Cis*- $V(CO)_2(dmpe)_2(CH_3CN)$]BPh₄ and *Cis*- $V(CO)_2(dmpe)_2(O_2CEt)$ " Wells, F. J.; Wilkinson, G.; Motevalli, M.; Hursthouse, M. B. *Polyhedron* **1986**, *6*, 1351-1360. (c) "Synthesis and Structural Studies of Complexes of Vanadium (II) and Vanadium (III) Halides with Tertiary Phosphines" Holt, D. G. L.; Larkworthy, L. F.; Povey, D. C.; Smith, G. W.; Leigh G. J. *Inorg. Chim. Acta* **1993**, *207*, 11-19. (d) "Organonitrile Complexes of Iron(II) and Ruthenium (II): X-ray Crystal Structure of *Trans*-[$Fe(NCMe)_2(dmpe)_2$](BPh₄)₂" Barron, A.; Wilkinson, G.; Motevalli, M.; Hursthouse, M. B.; *Polyhedron* **1987**, *6*, 1089-1095

K. K. MOLECULAR SQUARE AND GRID ARRAY REFERENCES -THESE ARE FOR SQUARE PLANAR METAL COMPOUNDS ONLY

(a) "Preparation of a Macrocyclic Polynuclear Complex, [$\cdot en$]Pd(4,4'-bpy)]₄(NO₃)₈ Which recognizes an Organic Molecule in Aqueous Media" Fujita, M., Yazaki, J., Ogura, K., *J. Am. Chem. Soc.*, **1990**, *112*, 5645. (b) "Quantitative Self-Assembly of a [2]Catenane from Two Preformed Molecular Rings" Fujita, M., Ibukuro, F.; Hagihara, H.; Ogura, K. *Nature* **1994**, *367*, 720. (c) Stang, P. J.; Cao, D. H. *J. Am. Chem. Soc.*, **1994**, *116*, 4981. (d) Fujita, M.; Sasaki, O.; Mitsuhashi, T.; Fujita, T.; Yazaki, J.; Yamaguchi, K.; Ogura, K. *J. Chem. Soc. Chem. Commun.*, **1996**, 1535. (e) "Design and Study of Synthetic Chiral Nanoscopic Assemblies. Preparation and Characterization of Optically Active Hybrid, Iodonium-Transition-Metal and All-Transition-Metal Macrocyclic Molecular Squares" Olenyuk, B.; Whiteford, J. A.; Stang, P. J. *J. Am. Chem. Soc.*, **1996**, *118*, 8221. (f) "Rectangular Grid Two-Dimensional Sheets of Copper(II) Bridged by Both Coordinated and Hydrogen Bonded 4,4'-bipyridine (4,4'-bipy) in [$Cu(\mu-4,4'$ -bipy)(H₂O)₂(FBF₃)₂]-4,4'-bipy" Blake, A. J.; Hill, S. J.; Hubberstey, P.; and Li, W.-S. *J. Chem. Soc. Dalton Trans.*, **1997**, 913-914. (g) "Self-Assembly of a Symmetric Tetracopper Box-Grid with Guest Trapping in the Solid State" Baxter, P. N. W.; Lehn- J.-M.; Kneisel, B. O.; Fenske, D.; *Chem. Commun.*, **1997**, 2231-2232. (h) "Self-Assembly, Symmetry, and Molecular Architecture: Coordination as the Motif in the Rational Design of Supramolecular Metallacyclic Polygons and Polyhedra" Stang, P. J.; and Olenyuk, B. *Acc. Chem. Res.*, **1997**, *30*, 502-518. (i) "Molecular architecture of Cyclic Nanostructures: Use of Coordination Chemistry in the Building of Supermolecules with Predefined Geometric Shapes" Olenyuk, B.; Fechtenkötter, A.; and Stang, P. J. *J. Chem. Soc., Dalton Trans.*, **1998**, 1707-1728. (j) "Metal-Directed Assembly of a Box-Like Structure" Constable, E. C. and Schofield, E., *Chem. Commun.*, **1998**, 403-404. (k) "Made-to-Order Assembling of [2] Catenanes from Palladium(II)-Linked Rectangular Molecular Boxes" Fujita, M.; Aoyagi, M.; Ibukuro, F.; Ogura, K.; Yamaguchi, K. *J. Am. Chem. Soc.*, **1998**, *120*, 611-612. (l) "2,2'-Bi-1,6-Naphthyridine Metal Complexes: A New Ligand and a Novel 2x2 Inclined Interpenetration of (4,4) Nets or Formation of Helicoidal Chains" Wu, H.-P.; Janiak, C.; Uehlin, L.; Klüfers, P.; Mayer, P. *Chem. Commun.*, **1998**, 2637-2638. (m) "Aromatic Inclusion Within a Neytal Cavity-Containing Rectangular Grid" Groeneman, R. H.; MacGillivray, L. R.; Atwood, J. L. *Chem. Commun.*, **1998**, 2735-2736.

L.L. SPECIAL CATEGORY OF OCTAHEDRAL T-METAL CONTAINING SQUARES AND RECTANGLES

(a) NEED TITLE AND A COPY OF THE PAPER Hunter, C. A. *Angew. Chem.*, **1995**, *107*, 1181. (b) "Self-Assembly of Luminescent Molecular Squares Featuring Octahedral Rhenium Corners" Slone, R. V.; Hupp, J. T.; Stern, C. L. Albrecht-Schmitt, T. E. *Inorg. Chem.*, **1996**, *35*,

4096-4097. (c) "Synthesis, Characterization, and Preliminary Host-Guest Binding Studies of Porphyrinic Molecular Squares Featuring *fac*-Tricarbonylrhenium Chloro Corners" *Inorg. Chem.*, **1997**, *36*, 5422-5423. (d) "Coordination Arrays: Tetranuclear Cobalt(II) Complexes with [2 x 2]-Grid Structure." Hanan, G. S.; Volkmer, D.; Schubert, U. S.; Lehn, J.-M.; Baum, G.; and Fenske, D. *Angew. Chem. Int. Ed. Engl.*, **1997**, *36*, 1842-1844. (e) "Luminescent Transition-Metal-Containing Cyclophanes ("Molecular Squares"): Covalent Self-Assembly, Host-Guest Studies and Preliminary Nanoporous Materials Applications" *Coord. Chem. Rev.*, **1998**, *171*, 221-243. (f) "Assemble of Metal Complexes" Oshio, H., Abstract "VIth International Conference on Molecule Based Magnets", Segnoisse Le Penon, France, September, **1998**. (f) Benkstein, K. D.; Hupp, J. T.; Stern, C. L. *Inorg. Chem.*, **1998**, *37*, 5404-5405. (g) "Self-Assembly of Ligand-Bridged Molecular Rectangles Containing *fac*-Re(CO)₃ Corners" Woessner, S. M.; Helms, J. B.; Shen, Y.; Sullivan, B. P. *Inorg. Chem.*, **1998**, *37*, 5406.

M.M. CUBE or BOX REFERENCES WITH AND WITHOUT CYANIDES

8(a). "Stepwise Assembly of [(C₅H₅)₄(C₅Me₅)₄Co₄Rh₄(CN)₁₂]⁴⁺, an "Organometallic Box". Klausmeyer, K. K.; Rauchfuss, T. B.; Wilson, S R., *Angew. Chem. Int. Ed.*, **1998**, *37*, 1694-1696. (b) "Molecular Prussian Blue Analogues: Synthesis and Structure of Cubic Cr₄Co₄(CN)₁₂ Clusters." Heinrich, J. L.; Berseth, P. A.; Long, J. R. *Chem. Commun.*, **1998**, 1231. (c) "Synthesis, Crystal Structure, and Manetic Properties of an Octanuclear Nickel(II) Complex with a Hexahedro-Nig Core." Faus, J.; Lloret, F.; Julve, M.; Clemente-Juan, J. M.; Muñoz, M. C.; Solans, X.; and Font-Bardia, M. *Angew. Chem. Int. Ed., Engl.*, **1996**, *35*, 1485-1487.

N.N. Crystal Growth

38. (a) "Chemistry and Crystal Growth" Hulliger, J. *Angew. Chem. Int. Ed. Engl.*, **1994**, *33*, 143-162. (b) "The Growth of PbHPO₄ and Pb₄(NO₃)₂(PO₄)₂ in Gels" Brezina, B.; Havrankova, M.; Dusek, K. *J. of Crystal Growth* **1976**, *34*, 248-252. (c) "Les Hexacyanoferrates Zeolithiques: Structure Cristalline de K₂Zn₃[Fe(CN)₆]₂ · x H₂O" Gravereau, P. P.; Garnier, E.; Hardy, A. *Acta. Cryst.* **1979**, *B35*, 2843-2848.

O.O. BPYM REFERENCES For MATERIALS

(this one is bpy but would be related to bpym due to the use of the compound

(a) "A Molecular-Based Magnet Incorporating the [Ru(bpy)₃]²⁺ Chromophore (bpy = 2,2'-Bipyridine)" Turner, S. S.; Michaut, C.; Kahn, O.; Ouahab, L.; Lecas, A.; Amouyal, E. *New J. Chem.*, **1995**, *19*, 773-775. (b) "Mixed-Ligand Iron(II) Complexes Containing 2,2'-Bipyrimidine. Spectroscopic, Electrochemical, and Coulombic Modification of Highly Absorbing Metal Complexes by Ligand Substitution" Ruminski, R. R.; von Tassel, K. D.; Petersen, J. D. *Inorg. Chem.*, **1984**, *23*, 4380-4382. (c) "Synthesis, Crystal Structure and Magnetic Properties of (μ-Bipyrimidine)(cyanato)copper(II) and -(thiocyanato)copper(II) Complexes" Julve, M.; Verdaguer, M.; De Munno, G.; Real, J. A.; Bruno, G. *Inorg. Chem.*, **1993**, *32*, 795-802. (d) "Bonding Flexibility of 2,2'-Bipyrimidine (bpm): Symmetry and Magnetism of Three Copper(II) Complexes with Different Cu:bpm Ratios" *Inorg. Chem.*, **1993**, *32*, 2215-2220. (e) "Structural and Magnetic Characterization of a Novel Heptanuclear Hydroxo-Bridged Copper(II) Cluster of the Corner-Sharing Dicubane Type" *Angew. Chem., Int. Ed., Engl.*, **1994**, *33*, 1184-1186. (f) "Alternating Ferro- and Antiferromagnetic Interactions in Unusual Copper(II) Chains" De Munno, G.; Julve, M.; Lloret, F.; Faus, J.; Verdaguer, M.; Caneschi, A. *Inorg. Chem.*, **1995**, *34*, 157-165. (g) "Synthesis, Crystal Structure, and Optical and Magnetic Properties of a Novel Two-Dimensional Copper(II) Network Formed Conjointly with μ-Bipyrimidine, μ-Oxalato, and μ-Chloro Ligands" Decurtins, S.; Schmalle, H. W.; Schneuwly, P.; Zheng, L.-M.; Ensling, J.; Hauser, A. *Inorg. Chem.*, **1995**, *34*, 5501-5506. (h) "Azido and 2,2'-Bipyrimidine Ligands as Useful Tools in Designing Two- and Three-Dimensional Manganese(II) Networks" De Munno, G.; Julve, M.; Viau, G.; Lloret, F.; Faus, J.; Viterbo, D. *Angew. Chem., Int. Ed., Engl.*, **1996**, *35*, 1807-1810. (i) "Bipyrimidine-Bridged Mixed-Metal Trimetallic Complexes of Ruthenium(II) with Rhodium(III) or Iridium(III), {[bpy]₂Ru(bpm)]₂MCl₂}²⁺" Nallas, G. N. A.; Jones, S. W.;

Brewer, K. J. *Inorg. Chem.*, **1996**, *35*, 6974-6980. (j) "Inorganic Arrays via Multicomponent Self-Assembly: The Spontaneous Generation of Ladder Architectures" Baxter, P. N. W.; Hanan, G. S.; Lehn, J.-M. *Chem. Commun.*, **1996**, 2019-2020.

O.O.(b) BPYM/BPY FOR BUILDING BLOCKS:

(a)

P. P. TPPZ REFERENCES

(a) Goodwin, H. A. and Lions, F., *J. Am. Chem. Soc.*, **1959**, *81*, 6415. (b) "Synthesis and Characterization of Cyanoiron(II) Complexes Bound to the Bridging Ligand Tetrakis(2-pyridyl)-1,4-diazine(tpd)" Ruminski, R. R. and Kiplinger, J. L., *Inorg. Chem.*, **1990**, *29*, 4581-4584. (c) "Synthesis and Coordination Behaviour of 6',6''-Bis(w-pyridyl)-2,2' : 4,4'' : 2'',2''''-quaterpyridine; 'Back-to-back' 2,2' : 6',2'' - Terpyridine" Constable, E. C. and Ward, M. D., *J. Chem. Soc. Dalton Trans.*, **1990**, 1405-1409. (d) "Long-range Coupling in a Mixed-valence Diruthenium Complexes Containing Bis-terpyridine Ligands of Various Lengths as Bridges" Collin, J.-P., Lainé, P., Launay, J.-P., Sauvage, J.-P., and Sour, A., *J. Chem. Soc., Chem. Commun.*, **1993**, 434-435. (e) "Crystal and molecular structures of Cu(II) and Zn(II) complexes of 2,3,5,6-tetra(w-pyridyl)pyrazine (TPPZ): an old ligand revisited" Graf, M.; Greaves, B.; Stoeckli-Evans, H. *Inorg. Chim. Acta.*, **1993**, *204*, 239-246. (f) "Monomeric and Oligomeric Complexes of Ruthenium and Osmium with Tetra-w-pyridyl-1,4-pyrazine (TPPZ)" Arana, C. R.; Abruña, H. *Inorg. Chem.*, **1993**, *32*, 194-203. (g) "Synthesis, Characterization and Crystal Structure of [Ru(tppz)(4,4'-(CH₃)₂bpy)Cl](PF₆)₂ (tppz = 2,3,5,6-tetrakis(2-pyridyl)pyrazine)" Tondreau, V.; Leiva, A. M.; and Loeb, B. *Polyhedron*, **1996**, *15*, No. 12, 2035-2040. (h) "Building Block Approach to the Construction of Long-Lived Osmium(II) and Ruthenium(II) Multimetallic Complexes Incorporating the Tridentate Bridging Ligand 2,3,5,6-Tetrakis(2-pyridyl)pyrazine" Vogler, L. M.; Brewer, K. J. *Inorg. Chem.*, **1996**, *35*, 818-824. (i) "Significant Antiferromagnetic Exchange in Copper(II) and Nickel(II) Dinuclear complexes of the Substituted Pyrazine Ligand 2,3,5,6-tetra(2-pyridyl) pyrazine (TPPZ): Magnetic Properties, Synthesis and Crystal Structure" Graf, M., Stoeckli-Evans, H., Escuer, A., Vicente, R., *Inorg. Chim. Acta*, **1997**, *257*, 89-97. (j) "Metallodendrimers: Metal Ions as Supramolecular Glue" *Chem. Commun.*, **1997**, 1073-1080.

Q.Q. BPTZ REFERENCES

(a) Case, F.H.; Koft, E. *J. Am. Chem. Soc.*, **1959**, *81*, 905. (b) "Paramagnetic Copper(I) Dimers" Kaim, W. and Kohlmann, S., *Inorg. Chem.*, **1987**, *26*, 1469-1470. (c) "Four Bridging Bis Chelate Ligands with Very Low Lying π^* Orbitals. MO Perturbation Calculations, Electrochemistry, and Spectroscopy of Mononuclear and Binuclear Group 6 Metal Tetracarbonyl Complexes" Kaim, W.; Kohlmann, S. *Inorg. Chem.*, **1987**, *26*, 68-77. (d) "Luminescent and Redox-Reactive Building Blocks for the Design of Photochemical Molecular Devices: Mono-, Di-, Tri-, and Tetranuclear Ruthenium(II) Polypyridine Complexes" Denti, G.; Campagna, S.; Sabatino, L.; Serroni, S.; Ciano, M.; Balzani, V., *Inorg. Chem.*, **1990**, *29*, 4750-4758. (e) "Space-Separated 1,10-Phenanthroline, 4,5-Diazafluorene, or 3,6-Di(2-pyridyl)pyridazine Units as Ligands in Diruthenium Complexes: Preliminary Studies of Metal-Metal Interactions" Warrenner, R. N.; Ferreira, A. B. B.; Schultz, A. C.; Butler, D. N.; Keene, F. R.; Kelso, L. S. *Angew. Chem. Int. Ed. Engl.*, **1996**, *35*, 2485-2487. (f) "Ligand-Mediated Coupling or Organometallic Reaction Centers" Kaim, W.; Reinhardt, R.; and Fiedler, J. *Angew. Chem. Int. Ed. Engl.*, **1997**, *36*, 2493-2495. (g) "A Highly Coupled Ru^{III}-Ru^{II} System Incorporating Sulfur Donor Ligands." Roche, S.; Yellowlees, L. J.; and Thomas, J. A. *Chem. Commun.*, **1998**, 1429-1430.

R. R. HAT REFERENCES

(a) "A New Heterocyclic Ligand for Transition Metals: 1,4,5,8,9,12-Hexaazatriphenylene and its Chromium Carbonyl Complexes" Nasielski-Hinkens, R.; Benedek-Vamos, M.; Maetens, D.; and Nasielski, J. *J. Organomet. Chem.*, **1981**, *217*, 179-182. (b) Nasielski-Hinkens, R.; Benedek-Vamos, M.; Maetens, D.; and Nasielski, J. *J. Organomet. Chem.*, **1981**, *217*, 178. (c) Masschelein, A.; Kirsch-De Mesmaeker, A.; Verhoeven, C.; Nasielski-Hinkens, R. *Inorg. Chim. Acta*, **1987**, *129*, L13. (d) "Hexadecarboxylative Synthesis of Hexaazatriphenylene" Sarma, M. S. P.; Czarnik, A. W. *Synthesis*, **1988**, 72-73. (e) Baxter, P.; Lehn, J.-M.; DeCian, A.; Fischer,

J. Angew. Chem., 1993, 105, 92, *Angew. Chem. Int. Ed. Engl.*, 1993, 32, 69. (f) "Improved Synthesis of 1,4,5,8,9,12-Hexaazatriphenylenehexacarboxylic Acid" Redemacher, J. T.; Kanakarajan, K.; Czarnik, A. W. *Synthesis*, 1994, 378-380. (g) "A Robust (10,3)-a Network Containing Chiral Micropores in the AgI Coordination Polymer of a Bridging Ligand that Provides Three Bidentate Metal-Binding Sites" Abrahams, B. F.; Jackson, P. A.; and Robson, R. *Angew. Chem. Int. Ed.*, 1998, 37, 2656-2659.

S.S. TPPHZ

(a) "Mononuclear and Binuclear Tetrapyrido[3,2-a:2',3'-c:3",2"-h:2'",3"-j]phenazine (tpphz) Ruthenium and Osmium Complexes" Bolger, J.; Gourdon, A.; Ishow, E.; Launay, J.-P. *Inorg. Chem.*, 1996, 35, 2937-2944. (b) "Facile Synthesis of Tetrapyrido[2,3-a:3',2'-c:2",3"-h:3'",2"-j]phenazine" Bonhôte, P.; Wrighton, M. 1997, *Synlett.*, 897-898. (c) "Bi- and Trinuclear Ruthenium(II) Complexes Containing Terapyridophenazine as a Rigid Bridging Ligand" Bonhôte, P.; Lecas, A.; Amouyal, E. *Chem. Commun.*, 1998, 885-886. (d) "Tetranuclear Binuclear Tetrapyrido[3,2-a:2',3'-c:3",2"-h:2'",3"-j]phenazineruthenium Complex: Synthesis, Wide-Angle X-ray Scattering, and Photophysical Studies" Ishow, E.; Gourdon, A.; Launay, J.-P.; Lecante, P.; Verelst, M.; Chiorboli, C.; Scandola, F.; Bignozzi, C.-A. *Inorg. Chem.*, 1998, 37, 3603-3609.

T.T. SPIN FRUSTRATION/ original def. as it refers to SPIN GLASSES and requires an orbital degeneracy (triangular lattice or plaquette model) Kahn thinks that the Mn₁₂ clusters should not be included!

(a) G. Toulouse, *Comm. Phys.*, 1977, 2, 115. (b) Moorjani, K.; Coey, J. M. D. *Magnetic Glasses*, Elsevier Ed., New York, 1984. (c) Chowdhury, D., *Spin Glasses and Other Frustrated Systems*, Princeton University Press, New Jersey, 1986. (d) Fischer, K. H.; Hertz, J. A. *Spin Glasses* Cambridge Univ. Press, Cambridge, 1991. (e) Mydosh, J. A. *Spin Glasses: An Experimental Introduction*, Taylor & Francis, London, 1993. (f) Binder, K.; Young, A. P. *Reviews of Modern Physics*, 1986, 58, 801. (g) "Competing Spin Interactions and Degenerate Frustration for Discrete Molecular Species" Kahn, O. *Chem. Phys. Lett.*, 1997, 265, 109-114.

U.U. SPIN FRUSTRATION without disorder (does not require randomness) KAGOME and so is not a necessary condition for a Spin Glass.

(a) Liebmann, R. *Statistical Mechanics of Periodic Frustrated Systems*, Springer, 1988. (b) Chubukov, A. *Phys. Rev. Lett.*, 1992, 69, 832. (c)

V.V. GLASSY STATE REFERENCES IN MOLECULAR MATERIALS (AC FIELD AND FREQ. DEPENDENCE) OR SIMPLY MAJOR DIFFERENCES IN MAGNETIC BEHAVIOR

(a) "Heat Capacity of the Two-dimensional Ferromagnet Bis(monomethylammonium)-tetrachlorochromate(II) from 10 to 302K" Rahman, A.; Staveley, L. A. K.; Bellito, C.; Day, P., *J. Chem. Soc., Faraday Trans. 2*, 1982, 78, 1985-1903. (b) "Optimization of a Molecular-Based Magnet MnCu(pbaOH)(H₂O)₂ (pbaOH = 2-Hydroxy-1,3-propanediylbis(oxamato)) with T_c = 30 K" Nakatani, K.; Bergerat, P.; Coddjovi, E.; Mathonière, C.; Pei, Y.; Kahn, O. *Inorg. Chem.*, 1991, 30, 3977. (c) "Crossover between Three-Dimensional Antiferromagnetic and Ferromagnetic States in Co(II)Cu(II) Ferrimagnetic Chain Compounds. A New Molecular-Based Magnet with T_c = 38 K and a Coercive Field of 5.66 x 10³ Oe." Turner, S.; Kahn, O.; Rabardel, L. *J. Am. Chem. Soc.*, 1996, 118, 6427-6432. (d) "A study of magnetic properties of KCo[Fe(CN)₆]." Wasiutyński, T.; Szeglowski, Z.; Pacyna, A. W.; Balandia, M. *Physica B* 253, 1998, 305-312. (e) "Competing Spin Interactions and Degenerate Frustration for Discrete Molecular Species" Kahn, O. *Chem Phys. Lett.* 1997, 265, 109-114. (f) "Dramatic Modifications of Magnetic Properties through Dehydration-Rehydration Processes of the Molecular Magnetic Sponges CoCu(obbz)(H₂O)₄·2H₂O and CoCu(obze)(H₂O)₄·2H₂O, with obbz = N,N'-Bis(2-carboxyphenyl)oxamido and obze = N-(2-carboxyphenyl)-N'-(carboxymethyl)oxamido" Larionova, J.; Chavan, S. A.; Yakhmi, J. V.; Gulbrandsen-Froystein, A.; Sletten, J.; Sourisseau, C.; Kahn, O. *Inorg. Chem.*, 1997, 36, 6374. (g) "Structure

and Magnetism of a Bimetallic Pentanuclear Cluster $[(\text{Ni}(\text{bpm})_2)_3((\text{Fe}(\text{CN})_6)_2)] \cdot 7\text{H}_2\text{O}$ (bpm = Bis(1-pyrazolyl)methane). The Role of Hydrogen-Bonded $7\text{H}_2\text{O}$ "Cluster" in Long-Range Magnetic Ordering" Langenberg, K. V.; Batten, S. R.; Berry, K. J.; Hockless, D. C. R.; Moubaraki, B.; Murray, K. S. *Inorg. Chem.*, **1997**, *36*, 5006-5015. (h) "Ferrimagnetic behavior of multiple phases and solvates of (meso-tetrakis(4-chlorophenyl)porphinato)manganese(III) tetracyanoethenide, $[\text{MnTCIPP}]\text{-}[\text{TCNE}]$. Enhancement of magnetic coupling by thermal annealing" *Inorg. Chem.*, **1998**, *37*, 3376-3384. (i) "Molecule-based Ferromagnetism or Not: a Re-Examination of Decamethylmanganocenium Tetracyanoethenide, $\text{Mn}(\text{Cp}^*)_2[\text{TCNE}]$, by ac Susceptometry" Sommer, R. D.; Korte, B. J.; Yee, G. T. *Inorg. Chem.*, in press. (j) "Magnetic Studies of $\text{Co}_3\text{BTCA}_2(\text{H}_2\text{O})_4$: A Molecular-Based Disordered Magnet" Wynn, C. M.; Albrecht, A. S.; Landee, C. P.; Turnbull, M. M. *Phys. Rev. B.*, in press.

W.W. T-metal - LANTHANIDE CATALYSIS REFS

(a) "Structural Analyses of Two Hexacyanoruthenate(II) Complexes" Mullica, D. F.; Hayward, P.K.; Sappenfield, E.L., *Inorg. Chim. Acta*, **1996**, *253*, 97-101. (b) "Gadolinium Potassium Hexacyanoferrate(II) Trihydrate" Mullica, D. F.; Ward, J. L.; Sappenfield, E.L. *Acta Cryst. Sec. C*, **1996**, *52*, 2956-2959. (c) "Coordination Chemistry of Lanthanides with Transition Metal Anions" Shore, S. G.; Knoepfel, D. W.; Deng, H. B. *J Alloy Compd*, **1997**, *249*, 25-32. (d) "Self-assembled Low Dimensional Materials Composed of Both Lanthanide and Transition Metal Centers" Liu, J. P.; Meyers, E. A.; Shore, S. G. *Abstr. Pap. Am. Chem. S.*, **1997**, *213*, 837-INOR Part 2. (e) "Heterometallic One-Dimensional Arrays Containing Cyanide-Bridged Lanthanide(III) and Transition Metals" Knoepfel, D. W.; Liu, J. P.; Meyers, E. A. *Inorg. Chem.*, **1998**, *37*, 4828-4837. (f) "Unusual One-Dimensional Ladder Structures Containing Divalent Europium and the Tetracyanometalates $\text{Ni}(\text{CN})_4^{2-}$ and $\text{Pt}(\text{CN})_4^{2-}$ " Knoepfel, D. W.; Shore, S. G. **1996**, *35*, 5328-5334. (g) "Coordination Geometries of Solvated Lanthanide(II) Ions: Molecular Structures of the Cationic Species $[(\text{DIME})_3\text{Ln}]^{2+}$ (DIME = Diethylene Glycol Dimethyl Ether; $\text{Ln}^{2+} = \text{Sm}, \text{Yb}$), $[(\text{DIME})_2\text{Yb}(\text{CH}_3\text{CN})_2]^{2+}$, $[(\text{DIME})\text{Yb}(\text{CH}_3\text{CN})_5]^{2+}$, and $[(\text{C}_5\text{H}_5\text{N})_5\text{Yb}(\text{CH}_3\text{CN})_2]^{2+}$ ", White III, J. P.; Deng, H.; Boyd, E. P.; Gallucci, J.; and Shore, S. G. *Inorg. Chem.*, **1994**, *33*, 1685-1694. (h) "Heterometallic One-Dimensional Arrays Containing Cyanide-Bridged Lanthanide(III) and Transition Metals" Knoepfel, D. W.; Liu, J. L.; Meyers, E. A.; Shore, S. G. *Inorg. Chem.*, **1998**, *37*, 4828-4837.

X.X. T-METAL LANTHANIDE MAGNETIC SYSTEMS (POLYNUCLEAR AND POLYMERIC & CYANIDE AND NON-CYANIDE)

(a) "Molecular chromium(III) - lanthanide(III) compounds ($\text{Ln} = \text{La}, \text{Ce}, \text{Pr}, \text{Nd}$) with a polymeric, ladder-type architecture: A structural and magnetic study" DeCurtins, S.; Gross, M.; Schmale, H.W.; Ferlay, S., *Inorg. Chem.*, **1998**, *10*, 2443-2449. (b) "Preparation, structure and Preliminary Magnetic Studies of Tri- and Tetra-Nuclear Cobalt-Lanthanide carboxylate Complexes" Cui, Y.; Chen, J. T.; Long, D. L.; Zheng, F. -K.; Cheng, W.-D.; Huang, J.-S., *J. Chem. Soc. Dalton*, **1998**, *18*, 2955-2956. (c) "Synthesis, Structures and Magnetic Properties of Carboxylate-Bridged Tetranuclear Copper(II) - Lanthanoid(III) $[\text{Cu}_2\text{Ln}_2(\text{betaine})_{10}(\text{H}_2\text{O})_8](\text{ClO}_4)_{10} \cdot 2\text{H}_2\text{O}$ and $[\text{Cu}_2\text{Ln}_2(\text{betaine})_{12}(\text{ClO}_4)_2](\text{ClO}_4)_8$ " Chen, X.-M.; Wu, Y.-L.; Yang, Y.-Y.; Aubin, S. M.; Hendrickson, D. N., *Inorg. Chem.*, **1998**, *37*, 6186-6191. (d) Andruh, M.; Ramade, I.; Codjovi, E.; Guillou, O.; Kahn, O.; Trombe, J.C., *J. Am. Chem. Soc.*, **1993**, *115*, 1822. (e) "Preparation Structure and Preliminary Magnetic Studies of Tri- and Tetra-Nuclear Cobalt-Lanthanide Carboxylate Complexes" Benelli, C.; Blake, A. J.; Milne, P. E. Y.; Rawson, J. M.; Winpenny, R. E. P., *J. Chem. Soc. Dalton Trans.*, **1997**, 1665. (g) "Synthesis, Structure and Magnetic Properties of Novel Carboxylato-Bridged Pentanuclear Copper(II)-Lanthanoid(III) Complexes" Tong, M. L.; Wu, Y. L.; Chen, X. M.; Sun, Z. M.; Hendrickson, D. N., *Chem. Res. In Chinese Univ.*, **1998**, *14*, 230-235. (h) Oushoorn, R. L.; Boubekeur, K.; Batail, P.; Gouillou, O.; Kahn, O., *Bull. Soc. Chim. Fr.*, **1996**, *133*, 777. (i) Hulliger, F.; Vetsch, H. *J. Solid State Inorg. Chem.*, **1996**, *33*, 33. (j) "Design and Magnetic Properties of a Magnetically Isolated Gd-III Cu-II pair. Crystal Structures of $[\text{Gd}(\text{hfa})_3\text{Cu}(\text{salen})]$, $[\text{Y}(\text{hfa})_3\text{Cu}(\text{salen})]$, $[\text{Gd}(\text{hfa})_3\text{Cu}(\text{salen})(\text{Meim})]$, and $[\text{La}(\text{hfa})_3(\text{H}_2\text{O})\text{Cu}(\text{salen})]$ [hfa Equals Hexafluoro-acetylacetonato, Salen Equals N,N'-

Ethylenebis(salicylideneaminato), Meim equals 1-methylimidazole]" Ramade, I.; Kahn, O.; Jeannin, Y.; Robert, F., *Inorg. Chem.*, **1997**, *36*, 930-936. (k) "Dimerized Nickel²⁺ Chain Compounds with Nitro-Nitrito Bridges and Unprecedented [Ln(NO₃)₄(CH₃OH)₃]⁻ Anions (Ln = lanthanide). Crystal Structure and Magnetic Properties" Rajendiran, T. M.; Kahn, O.; Golhen, S.; Ouahab, L.; Honda, Z.; Katsumata, K. *Inorg. Chem.*, **1998**, *37*, 5693. (l) "Nonmagnetic Ground-State in the Molecular Materials ND-2[Cu(PBA)]₃·23H₂O (PBA=1,3-Propylenebis(oxamato))" Kahn, O.; Guillou, O.; Oushoorn, R. L.; Drillon, M.; Rabu, P.; Boubekeur, K.; Batail, P. *New J. Chem.*, **1995**, *19*, 655-660. (m) "Dimerized Nickel²⁺ Chain Compounds with Nitro-Nitrito Bridges and Unprecedented [Ln(NO₃)₄(CH₃OH)₂]⁻ Anions (Ln = Lanthanide): Crystal Structure and Magnetic Properties" Rajendiran, T. M.; Kahn, O.; Golhen, S.; Ouahab, L.; Honda, Z., and Katsumata, K. *Inorg. Chem.*, **1998**, *37*, 5693-5696.

Y.Y. BINARY LANTHANIDE CYANIDES and PSEUDOHALIDES (SCN⁻)

(a) "Herstellung von Seltenerdyaniden" Rossmanith, K. *Monatshefte für Chemie* **1966**, *97*, 1698-1712. (b) "The preparation of Anhydrous Lanthanide Cyanides" McColm, I. J.; Thompson, S. *J. inorg. nucl. Chem.*, **1972**, *34*, 3801-3807. (c) "Rare Earth Pseudohalide Complexes" Burmeister, J. L.; Patterson, S. D.; Deardorff, E. A. *Inorg. Chim. Acta* **1969**, *3*, 105-119.

Z.Z. NEW BINARY T-METAL CYANIDES THAT ARE HYDROLYTICALLY UNSTABLE AND SURPRISING IN THAT THEY HAVE NOT BEEN PREPARED BEFORE

(a) "Structure and Physical Properties of Hexacyanomanganate(IV), [Mn^{IV}(CN)₆]²⁻" Buschmann, W. E.; Vazquez, C.; Ward, M. D.; Jones, N. C.; Miller, J. S. *Chem. Commun.*, **1997**, 409-410. (b) "Synthesis and Reactivity of the First Paramagnetic Tetrahedral Percyano Complex, S=5/2 [Mn(CN)₄]²⁻" Buschmann, W. E.; Manson, J. L. *Abstracts of Papers of the Am. Chem. Soc. 214: 124-INOR, Part 1, Sept. 7, 1997.*

AAA. 3D METAL MAGNETIC SYSTEMS WITH 4d AND 5d METALS

(a) "Magnetic Properties of the Two-Dimensional Bimetallic Compounds (NBu₄)-[M^IRu^{III}(ox)₃] (NBu₄ = Tetra-n-butylammonium; M = Mn, Fe, Cu; ox = Oxalate)" Larionova, J.; Mombelli, B.; Sanchiz, J.; Kahn, O. *Inorg. Chem.*, **1998**, *37*, 679. (b) Larionova, J.; Sanchiz, J.; Gohlen, S.; Ouahab, L.; Kahn, O. *Chem. Commun.*, **1998**, 953-954. (b) "Ferromagnetic Ordering, Anisotropy, and Spin Reorientation for the Cyano-Bridged Bimetallic Compound Mn₂(H₂O)₅Mo(CN)₇·4H₂O (α-Phase)" Larionova, J.; Clérac, R.; Sanchiz, J.; Kahn, O.; Golhen, S.; Ouahab, L. *J. Am. Chem. Soc.*, **1998**, 13088-13095. (b) "New Molecule-Based Magnets: From Hexacyano to Octacyanometalates" *Abstract "VIth International Conference on Molecule Based Magnets* Garde, R.; Desplanches, C.; Bleuzen, A.; Verdaguer, M.; Veillet, P. Segnoisse Le Penon, France, September, **1998**.

BBB. Solving X-ray Structures by Powder methods

(a) "Application of X-ray Powder Diffraction Techniques to the Solution of Unknown Crystal Structures" Poojary, D.; Clearfield, A. *Acct. Chem. Res.*, **1997**, *30*, 414-422. (b) "Solving Crystal Structures of Molecular Solids without Single Crystals: A Simulated Annealing Approach" Andreev, Y. G.; Bruce, P. G. *J. Chem. Soc., Dalton Trans.*, **1998**, 4071-4080.

SUPRAMOLECULAR

CCC.(a) Lehn, J.-M in *Supramolecular Chemistry: Concepts and Perspectives*, VCH, Weinheim, **1995**. (b) Baxter, P. N. W. in *Comprehensive Supramolecular Chemistry*, ed. Atwood J. L.; Davies, J. E. D.;

MacNicol, D. D.; Vögtle, F.; Lehn, J.-M. Pergamon, Oxford, 1996, 9, ch5, pp 165-211. (c) E. C. Constable in *Comprehensive Supramolecular Chemistry*, ed. Atwood J. L.; Davies, J. E. D.; MacNicol, D. D.; Vögtle, F.; Lehn, J.-M. Pergamon, Oxford, 1996, 9, ch 6, pp 213-252. (d) Fujita, M. in *Comprehensive Supramolecular Chemistry*, ed. Atwood J. L.; Davies, J. E. D.; MacNicol, D. D.; Vögtle, F.; Lehn, J.-M. Pergamon, Oxford, 1996, 9, ch 7, pp 253-282. (e) "Synthetic Supramolecular Chemistry" Fyfe, M. C. T.; Stoddart, J. F. *Acct. Chem. Res.*, 1997, 30, 393-401.

D.D.D. Pyrazolylborate references

- (a) "Some Significant Compounds of Boron" Trofimenko, S. *Inorg. Synth.*, 1970, Ch 3, 12, 99-109.
(b) "Recent Advances in Poly(pyrazolyl)borate (Scorpionate) Chemistry" Trofimenko, S. *Chem. Rev.*, 1993, 93, 943-980.

E.E.E. Polymorphism affecting the properties of molecular systems overview:

"Polymorphic Molecular Materials - The Importance of Tertiary Structures" Miller, J. S. *Adv. Mat.*, 1998, 10, 1553-1557.

